

SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES



ENGINEERED
FOR EASE

TABLE OF CONTENTS

3-9	CUBE ICE MACHINES
10	STANDARD REMOTES AND TOP AIR DISCHARGE
11-12	QUIETQUBE® REMOTES & ICE BEVERAGE
13	SPECIALTY: PRISON AND MARINE
14-15	FLAKE ICE MACHINES
16-17	NUGGET ICE MACHINES

18	DISPENSERS
19-20	ICE STORAGE BINS
21	INTERNATIONAL ONLY
22-23	BIN ADAPTERS & DEFLECTOR KITS
24-26	ACCESSORIES

NOTATIONS

Shipping weights are approximate.

TERMS

TERMS

Terms are as Company may extend to purchaser.

TERMS FOR PARTS

C.O.D. (Deviation on authorization of Credit Department only.)


PRICES

Prices are Ex-works Covington Tennessee. All prices and specifications are subject to change without notice.

DIMENSION DRAWINGS

Height includes legs set at 6 in/15.2 cm.

Legs adjust from 6 in/15.2 cm to 7.5 in/19.1 cm



COMMERCIAL WARRANTY

WARRANTY – CUBE ICE MACHINE

- 5-year parts-and-labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo NXT, S, U, QQ and IB-model ice cube machines.

WARRANTY – UE SERIES ICE MACHINE

- 3-year parts-and-labor coverage on all components.

WARRANTY – SM AND USP SERIES ICE MACHINES

- 3-year parts-and-labor coverage on all components.

WARRANTY – RFF/RFP, RNF/RNP ICE MACHINES

- 3-year parts.
- 3-year labor.
- Compressor parts for 5 years and labor for 3 years.

WARRANTY – COUNTERTOP NUGGET DISPENSER ICE MACHINES (RNS12/20 AND CNF201/202)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

RESIDENTIAL WARRANTY

WARRANTY – RELATED ACCESSORIES

- * If not stated, kits carry the same basic warranty as the machine they are used on.

WARRANTY – RELATED ACCESSORIES

- 1-year parts-and-labor.

ICE STYLES

DICE CUBE: 7/8 in x 7/8 in x 7/8 in / 2.22 x 2.22 x 2.22 cm 100% ice to water ratio.

HALF DICE CUBE: 3/8 in x 1-1/8 in x 7/8 in / 0.95 x 2.86 x 2.22 cm 100% ice to water ratio.

REGULAR CUBE: 1-1/8 in x 1-1/8 in x 7/8 in / 2.86 x 2.86 x 2.22 cm 100% ice to water ratio.

GOURMET CUBE: 1-3/8 in x 1-3/8 in / 3.94 x 3.94 octagon shape cube (SM-50 model). 100% ice to water ratio.

NUGGET ICE: Countertop, Undercounter and Modular Ice Makers 3/8 in to 1/2 in / 0.76 x 0.76 x 1.27 cm pieces. 85% ice to water ratio.

FLAKE ICE: Flake ice is smaller bits of ice. 73% ice to water ratio.


SQUARE CUBE: 1" square shaped ice. 100% ice to water ratio.

LARGE SQUARE CUBE: 40g, 1.5" x 1.5" 1.5" square shaped ice. 100% ice to water ratio.

ICE STORAGE CAPACITY

The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic meters capacity for accurate comparison between manufacturer's models.

HOW TO READ THE NEW MODEL NUMBERS



UNDERCOUNTER CUBE



W 14.75 in D 22.75 in H 33.5 in
W 37.5 D 57.8 H 85.1 cm

*53lbs/24 kg daily at 70/50°F
*44lbs/20 kg daily at 90/70°F

SM-50

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
SMS050A002-161	Gourmet	Air	115v/60Hz/1	114 lbs / 52 kg	\$5,205	N/A

Ice storage capacity 25 lbs / 11.3 kg.
Includes AR-2800 water filter.
Drain pump available as accessory (K00376).
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
Not compatible with iAuCS®.
IMPORTANT NOTE: Use only Metal Safe Cleaner 000000084 on this product.
Other cleaners will damage the evaporator and will not be covered under warranty.

KIT	MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00376	Drain pump for use when floor drain is not available	7 lbs / 3 kg	\$751



W 19.69 in D 22.34 in H 36 in
W 50.0 D 56.7 H 91.4 cm

UE0065:
*57 lbs/26 kg daily at 70/50°F
*46 lbs/21 kg daily at 90/70°F

UE0080:
*193 lbs/88 kg daily at 70/50°F
*71 lbs/32 kg daily at 90/70°F

UE65 / UE80

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UDE0065A-161B	Dice	Air	115v/60Hz/1	109 lbs / 49 kg	\$4,473	QM30A-161
UDE0080A-161B	Dice	Air	115v/60Hz/1	114 lbs / 52 kg	\$5,130	QM45A-161
UDE0065A-251Z	Dice	Air	230v/50/Hz/1	109 lbs / 49 kg	\$4,533	QM30A-251
UDP0080A-251Z	Dice	Air	230v/50/Hz/1	114 lbs / 52 kg	\$5,190	QM45A-251

Ice storage capacity 30lbs / 14 kg. Storage capacity is AHRI certified, measured at 1.059 cu ft..
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data.
Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS or LuminIce II.
Application storage capacity measured at 90% of total volume cu. ft x 33 lbs / ft³



W 26 in D 28.5 in H 38.5 in
W 66 D 72.4 H 97.8 cm

UF-140:
*137lbs/62 kg daily at 70/50°F
*100lbs/45 kg daily at 90/70°F

UF-190:
*193 lbs/88 kg daily at 70/50°F
*140lbs/64 kg daily at 90/70°F

UF140 / UF190

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
URF0140A-161B	Regular	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,285	UR0140A-161B
UDF0140A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,085	UD0140A-161B
UYF0140A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,085	UY0140A-161B
UDF0190A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,452	UD0190A-161B
UYF0190A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$5,452	UY0190A-161B
UDP0140A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,145	UD0140A-251Z
UYF0140A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,145	UY0140A-251Z
UDF0190A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,512	UD0190A-251Z
UYF0190A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,512	UY0190A-251Z

Application storage capacity 90 lbs / 40 kg. Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug ("B" Plug).
Cubic Volume 3.037. Storage capacity is AHRI certified.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.
Not compatible with iAuCS. LuminIce® II compatible as accessory.
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs / ft³.



W 26 in D 28.5 in H 38.5 in
W 66 D 72.4 H 97.8 cm

*219lbs/99 kg daily at 70/50°F
*160lbs/73 kg daily at 90/70°F


UF240

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UDF0240A-161B	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$5,931	UD0240A-161B
UDF0240A-261Z	Dice	Air	208-230v/60hz/1	157 lbs / 72kg	\$6,006	UD0240A-261Z
UDF0240W-161B	Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$6,228	UD0240W-161B
UYF0240A-161B	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$5,931	UY0240A-161B
UYF0240W-161B	1/2 Dice	Water	115v/60Hz/1	159 lbs / 72 kg	\$6,228	UY0240W-161B
UDP0240A-251Z	Dice	Air	230v/50hz/1	157 lbs / 72kg	\$5,991	UD0240A-251Z
UYF0240A-251Z	1/2 Dice	Air	230v/50hz/1	159 lbs / 72 kg	\$5,991	UY0240A-251Z
UYF0240W-251Z	1/2 Dice	Water	230v/50hz/1	159 lbs / 72 kg	\$6,288	UY0240W-251Z

Application storage capacity 90 lbs/40 kg.
Cubic Volume 3.037. Storage Capacity is AHRI certified.
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug ("B" Plug).
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.
Not compatible with iAuCS. LuminIce II compatible as accessory.
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs / ft³.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

UNDERCOUNTER CUBE (CONTINUED)



W 30 in D 28.5 in H 38.5 in
W 76.2 D 72.4 H 97.8 cm

*290lbs/132 kg daily
at 70/50°F
*235 lbs/107 kg daily
at 90/70°F

UF310

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
URF0310A-161B	Regular	Air	115v/60Hz/1	208 lbs / 94 kg	\$7,521	UR0310A-161B
UDF0310A-161B	Dice	Air	115v/60Hz/1	208 lbs / 94 kg	\$7,321	UD0310A-161B
UDF0310A-261Z	Dice	Air	208-230v/60hz/1	208 lbs / 94 kg	\$7,396	UD0310A-261Z
UDF0310W-161B	Dice	Water	115v/60Hz/1	211 lbs / 96 kg	\$7,687	UD0310W-161B
UYF0310A-161B	1/2 Dice	Air	115v/60Hz/1	209 lbs / 95 kg	\$7,321	UY0310A-161B
UYF0310W-161B	1/2 Dice	Water	115v/60Hz/1	211 lbs / 96 kg	\$7,687	UY0310W-161B
URF0310A-251Z	Regular	Air	230v/50hz/1	208 lbs / 94 kg	\$7,581	UR0310A-251Z
UDP0310A-251Z	Dice	Air	230v/50hz/1	208 lbs / 94 kg	\$7,381	UD0310A-251Z
UYP0310A-251Z	1/2 Dice	Air	230v/50hz/1	209 lbs / 95 kg	\$7,381	UY0310A-251Z

Application ice storage capacity 119 lbs/54 kg. Cubic Volume 3.99. Storage Capacity is AHRI Certified.
Includes 6 in/1.8 m power cord with NEMA 5-15P plug ("B" Plug).
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.
Not compatible with iAuCS. LuminIce® II compatible as accessory.
Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.

SQUARE CUBE




W 19.68 in D 22.83 in H 37.5 in
*100 lbs / 45.5 kgs at 70/50
*85 lbs / 38.5 kgs at 90/70

USP0100A

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
USP0100A-161	Square	Air	115v/60Hz/1	209 lbs / 94 kg	\$6,000	N/A

Application storage capacity 38 lbs/17.2 kgs. Measured cubic volume is 2. Storage Capacity is AHRI certified.
Includes 6 ft / 1.8m power cord with NEMA 5-15 plug
Refer to Install Use and Care manual for proper cleaning instructions.
Not compatible with iAuCS or LuminIce II.



W 14.75 in D 22.75 in H 33.5 in
W 37.5 D 57.8 H 85.1 cm

*45 lbs / 20 kg at 70/50
*35 lbs / 15 kg at 90/70

USE0050A


MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
USE0050A-161	Square	Air	115v/60Hz/1	121 lbs / 54.4 kg	\$7,000	N/A

Ice storage capacity 25 lbs / 11.3 kg
Includes AR-2800 water filter
Includes 6' / 1.8m power cord with NEMA 5-15P plug
Not compatible with iAuCS or LuminIce
Use only metal safe cleaner 00000084

KITS

MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00516	Drain pump for use when floor drain is not available	7 lbs / 3 kg	\$751
K00517	Left door hinge kit	20 lbs / 9 kg	\$805

MODULAR CUBE



W 30 in D 24.5 in H 16.50 in
W 76.2 D 62.2 H 41.9 cm

*310 lbs / 141 kg daily
at 70/50°F
*230 lbs / 104 kg daily
at 90/70°F



Not Stackable


IT300 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0300A-161	Dice	Air	115v/60Hz/1	142 lbs / 64 kg	\$6,557★	IDF0300A-161
IDT0300A-161X	Dice	Air	115v/60Hz/1	147 lbs / 67 kg	\$7,312	IDF0300A-161X
IDT0300A-261	Dice	Air	208-230/60Hz/1	142 lbs / 64 kg	\$6,632★	IDF0300A-261
IDT0300W-161	Dice	Water	115v/60Hz/1	139 lbs / 63 kg	\$6,885	IDF0300W-161
IYT0300A-161	1/2 Dice	Air	115v/60Hz/1	147 lbs / 67 kg	\$6,557★	IYF0300A-161
IYT0300A-161X	1/2 Dice	Air	115v/60Hz/1	152 lbs / 69 kg	\$7,312	IYF0300A-161X
IYT0300A-261	1/2 Dice	Air	208-230/60Hz/1	147 lbs / 67 kg	\$6,632★	IYF0300A-261
IYT0300W-161	1/2 Dice	Water	115v/60Hz/1	144 lbs / 65 kg	\$6,885	IYF0300W-161
IYT0300W-161X	1/2 Dice	Water	115v/60Hz/1	149 lbs / 68 kg	\$7,640	IYF0300W-161X
IDT0300A-251	Dice	Air	230v/50Hz/1	142 lbs / 64 kg	\$6,617	IDF0300A-251
IYT0300A-251	1/2 Dice	Air	230/50Hz/1	147 lbs / 67 kg	\$6,617	IYF0300A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.
RECOMMENDED BINS: D400 or D570 (See page 19)
See pages 22-23 for required adapters, deflectors, and dispenser baffles.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR CUBE (CONTINUED)




W 22 in D 24.5 in H 21.5 in
W 55.9 D 62.2 H 54.6 cm

*460 lbs/209 kg daily
at 70/50°F
*375 lbs/170 kg daily
at 90/70°F



Not Stackable




W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*490 lbs/222 kgs daily
at 70/50°F
*378lbs/171 kg daily
at 90/70°F



Not Stackable



W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*550 lbs/249 kg daily
at 70/50°F
*440 lbs/200 kg daily
at 90/70°F



Not Stackable

IT0420 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0420A-161	Dice	Air	115v/60Hz/1	137 lbs / 62 kg	\$7,359★	ID0322A-161
IDT0420A-161X	Dice	Air	115v/60Hz/1	142 lbs / 64 kg	\$8,114	ID0322A-161X
IDT0420A-261	Dice	Air	208-230v/60Hz/1	137 lbs / 62 kg	\$7,434★	ID0322A-261
IDT0420W-161	Dice	Water	115v/60Hz/1	131 lbs / 59 kg	\$7,726	ID0323W-161
IYT0420A-161	1/2 Dice	Air	115v/60Hz/1	136 lbs / 62 kg	\$7,359★	IY0324A-161
IYT0420A-161X	1/2 Dice	Air	115v/60Hz/1	141 lbs / 64 kg	\$8,114	IY0324A-161X
IYT0420W-161	1/2 Dice	Water	115v/60Hz/1	135 lbs / 61 kg	\$7,726	IY0325W-161
IYT0420W-261	1/2 Dice	Water	208-230v/60Hz/1	135 lbs / 61 kg	\$7,801	IY0325W-261
IDT0420A-251	Dice	Air	230v/50Hz/1	137 lbs / 62 kg	\$7,419	ID0322A-251
IYT0420A-251	1/2 Dice	Air	230v/50Hz/1	136 lbs / 62 kg	\$7,419	IY0324A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D320 or D420 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

IT0450 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0450A-161	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	\$7,070★	ID0452A-161
IDT0450A-161X	Dice	Air	115v/60Hz/1	165 lbs / 75 kg	\$7,825	ID0452A-161X
IDT0450A-261	Dice	Air	208-230v/60Hz/1	160 lbs / 73 kg	\$7,145★	ID0452A-261
IDT0450W-161	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	\$7,423	ID0453W-161
IDT0450W-161X	Dice	Water	115v/60Hz/1	146 lbs / 66 kg	\$8,178	ID0453W-161X
IDT0450W-261	Dice	Water	208-230v/60Hz/1	141 lbs / 64 kg	\$7,498	ID0453W-261
IYT0450A-161	1/2 Dice	Air	115v/60Hz/1	170 lbs / 77 kg	\$7,070★	IY0454A-161
IYT0450A-161X	1/2 Dice	Air	115v/60Hz/1	175 lbs / 79 kg	\$7,825	IY0454A-161X
IYT0450A-261	1/2 Dice	Air	208-230v/60Hz/1	170 lbs / 77 kg	\$7,145★	IY0454A-261
IYT0450W-161	1/2 Dice	Water	115v/60Hz/1	155 lbs / 70 kg	\$7,423	IY0455W-161
IYT0450W-161X	1/2 Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$8,178	IY0455W-161X
IDT0450A-251	Dice	Air	230v/50Hz/1	160 lbs / 73 kg	\$7,130	ID0452A-251
IDT0450W-251	Dice	Water	230v/50Hz/1	141 lbs / 64 kg	\$7,483	ID0453W-251
IYT0450A-251	1/2 Dice	Air	230v/50Hz/1	170 lbs / 77 kg	\$7,130	IY0454A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D400 or D570 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

IT0500 / iF0500N SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT0500A-161	Regular	Air	115v/60Hz/1	162 lbs / 73 kg	\$8,101★	IR0500A-161
IRT0500A-261	Regular	Air	208-230v/60Hz/1	162 lbs / 73 kg	\$8,176★	IR0500A-261
IRT0500W-161	Regular	Water	115v/60Hz/1	158 lbs / 72 kg	\$8,493	IR0501W-161
IDT0500A-161	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$7,851★	ID0502A-161
IDT0500A-161X	Dice	Air	115v/60Hz/1	162 lbs / 73 kg	\$8,606	ID0502A-161X
IDT0500A-261	Dice	Air	208-230v/60Hz/1	157 lbs / 72kg	\$7,926★	ID0502A-261
IDT0500W-161	Dice	Water	115v/60Hz/1	163 lbs / 74 kg	\$8,243	ID0503W-161
IDF0500N-161A	Dice	Remote	115v/60Hz/1	164 lbs / 74 kg	\$7,669	IDT0500N-161
IDF0500N-161AX	Dice	Remote	115v/60Hz/1	169 lbs / 77 kg	\$8,424	IDT0500N-161X
IYT0500A-161	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$7,851★	IY0504A-161
IYT0500A-161X	1/2 Dice	Air	115v/60Hz/1	164 lbs / 74 kg	\$8,606	IY0504A-161X
IYT0500A-261	1/2 Dice	Air	208-230v/60Hz/1	159 lbs / 72 kg	\$7,926★	IY0504A-261
IYT0500W-161	1/2 Dice	Water	115v/60Hz/1	161 lbs / 73 kg	\$8,243	IY0505W-161
IYF0500N-161A	1/2 Dice	Remote	115V/60HZ/1	161 lbs / 73 kg	\$7,669	IYT0500N-161
IYF0500N-161AX	1/2 Dice	Remote	115V/60HZ/1	166 lbs / 75 kg	\$8,424	IYT0500N-161X
IRT0500A-251	Regular	Air	230V/50HZ/1	162 lbs / 73 kg	\$8,161	IR0500A-251
IDT0500A-251	Dice	Air	230V/50HZ/1	157 lbs / 72kg	\$7,911	ID0502A-251
IYT0500A-251	1/2 Dice	Air	230v/50Hz/1	159 lbs / 72 kg	\$7,911	IY0504A-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D400, D570 or LB0730 (see page 19-20). See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0500 remote condenser and RT() R404A tubing kit (see page 10).

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

MODULAR CUBE (CONTINUED)



W 22 in D 24.5 in H 21.5 in
W 55.9 D 62.2 H 54.6 cm

*575 lbs/262 kg daily at
70/50°F
*465 lbs / 211 kg daily at
90/70°F



Not Stackable

IT0620 SERIES


MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT0620A-161	Regular	Air	115v/60Hz/1	143 lbs / 65 kg	\$8,036★	IR0520A-161
IDT0620A-161	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	\$7,786★	ID0522A-161
IDT0620A-161X	Dice	Air	115v/60Hz/1	148 lbs / 67 kg	\$8,541	ID0522A-161X
IDT0620A-261	Dice	Air	208-230v/60hz/1	143 lbs / 65 kg	\$7,861★	ID0522A-261
IDT0620W-161	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$8,175	ID0523W-161
IYT0620A-161	1/2 Dice	Air	115v/60Hz/1	145 lbs / 66 kg	\$7,786★	IY0524A-161
IYT0620A-161X	1/2 Dice	Air	115v/60Hz/1	150 lbs / 68 kg	\$8,541	IY0524A-161X
IYT0620A-261	1/2 Dice	Air	208-230v/60hz/1	145 lbs / 66 kg	\$7,861★	IY0524A-261
IYT0620W-161	1/2 Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$8,175	IY0525W-161
IYT0620W-261	1/2 Dice	Water	208-230v/60hz/1	140 lbs / 63 kg	\$8,250	IY0525W-261
IRT0620A-251	Regular	Air	230v/50hz/1	143 lbs / 65 kg	\$8,096	IR0520A-251
IRT0620W-251	Regular	Water	230v/50hz/1	140 lbs / 63 kg	\$8,497	IR0521W-251
IDT0620A-251	Dice	Air	230v/50hz/1	143 lbs / 65 kg	\$7,846	ID0522A-251
IDT0620W-251	Dice	Water	230V/50HZ/1	140 lbs / 63 kg	\$8,235	ID0523W-251
IYT0620A-251	1/2 Dice	Air	230V/50HZ/1	145 lbs / 66 kg	\$7,846	IY0524A-251
IYT0620W-251	1/2 Dice	Water	230V/50HZ/1	140 lbs / 63 kg	\$8,235	IY0525W-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D320 or D420 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*665 lbs/302 kg daily at
70/50°F
*580 lbs/263 kg daily at
90/70°F



Not Stackable

IF0600 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDF0600N-261A	Dice	Remote	208-230v/60Hz/1	214 lbs / 97 kg	\$8,808	IDF0600N-261
IYF0600N-261A	1/2 Dice	Remote	208-230v/60Hz/1	221 lbs / 100 kg	\$8,808	IYF0600N-261
IYF0600N-261AX	1/2 Dice	Remote	208-230v/60Hz/1	226 lbs / 103 kg	\$9,563	IYF0600N-261X


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D570 or LB0730 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT()R-404A tubing kit (see page 10). Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm

*715 lbs / 324 kg daily at
70/50°F
*575 lbs/ 261 kg daily at
90/70°F



Not Stackable

IT0750 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0750A-261	Dice	Air	208-230v/60hz/1	194 lbs / 88 kg	\$9,340★	IDF0600A-261
IDT0750W-261	Dice	Water	208-230v/60hz/1	194 lbs / 88 kg	\$9,807	IDF0600W-261
IYT0750A-261	1/2 Dice	Air	208-230v/60hz/1	208 lbs / 94 kg	\$9,340★	IYF0600A-261
IYT0750A-261X	1/2 Dice	Air	208-230v/60hz/1	213 lbs / 97 kg	\$10,095	IYF0600A-261X
IYT0750W-261	1/2 Dice	Water	208-230v/60hz/1	195 lbs / 88 kg	\$9,807	IYF0600W-261
IDT0750A-251	Dice	Air	230v/50hz/1	194 lbs / 88 kg	\$9,400	IDF0600A-251
IDT0750A-251X	Dice	Air	230v/50hz/1	198 lbs / 90 kg	\$10,155	IDF0600A-251X
IYT0750A-251	1/2 Dice	Air	230v/50hz/1	208 lbs / 94 kg	\$9,400	IYF0600A-251
IYT0750A-251X	1/2 Dice	Air	230v/50hz/1	213 lbs / 97 kg	\$10,155	IYF0600A-251X
IYT0750W-251	1/2 Dice	Water	230v/50hz/1	195 lbs / 88 kg	\$9,870	IYF0600W-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D570, D970 or LB730 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

MODULAR CUBE (CONTINUED)



W 30 in D 24.5 in H 26.5 in
W 76.2 D 62.2 H 67.3 cm

*830 lbs/376 kg daily
at 70/50°F
*740 lbs/336 kg daily
at 90/70°F



Not Stackable

IF0900 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IYF0900A-263A	1/2 Dice	Air	208-230v/60Hz/3	219 lbs / 99 kg	\$12,165	IYF0900A-263
IDF0900N-261A	Dice	Remote	208-230v/60Hz/1	221 lbs / 100 kg	\$11,521	IDF0900N-261
IYF0900N-261A	1/2 Dice	Remote	208-230v/60Hz/1	218 lbs / 99 kg	\$11,521	IYF0900N-261
IYF0900N-263A	1/2 Dice	Remote	208-230v/60Hz/3	218 lbs / 99 kg	\$11,821	IYF0900N-263
IDF0900N-251A	Dice	Remote	230v/50/Hz/1	221 lbs / 100 kg	\$11,746	IDF0900N-251
IYF0900N-251A	1/2 Dice	Remote	230v/50/Hz/1	218 lbs / 99 kg	\$11,746	IYF0900N-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D570, D970 and LB0730 (See page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT()R-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30 in D 24.5 in H 26.5 in
W 76.2 D 62.2 H 67.3 cm

*865 lbs / 392 kg daily at
70/50°F
*750 lbs / 340 kg daily at
90/70°F



Not Stackable

IT0900 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT0900A-261	Regular	Air	208-230v/60hz/1	213 lbs / 97 kg	\$12,116	IRF0900A-261
IRT0900W-261	Regular	Water	208-230v/60hz/1	232 lbs / 105 kg	\$12,722	IRF0900W-261
IDT0900A-261	Dice	Air	208-230v/60hz/1	214 lbs / 97 kg	\$11,816★	IDF0900A-261
IDT0900A-261X	Dice	Air	208-230v/60hz/1	219 lbs / 99 kg	\$12,571	IDF0900A-261X
IDT0900W-261	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$12,407	IDF0900W-261
IYT0900A-261	1/2 Dice	Air	208-230v/60hz/1	218 lbs / 99 kg	\$11,816★	IYF0900A-261
IYT0900A-261X	1/2 Dice	Air	208-230v/60hz/1	223 lbs / 101 kg	\$12,571	IYF0900A-261X
IYT0900W-261	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$12,407	IYF0900W-261
IRT0900A-251	Regular	Air	230v/50hz/1	213 lbs / 97 kg	\$12,341	IRF0900A-251
IRT0900W-251	Regular	Water	230v/50hz/1	212 lbs / 96 kg	\$12,958	IRF0900W-251
IDT0900A-251	Dice	Air	230V/50HZ/1	214 lbs / 97 kg	\$12,041	IDF0900A-251
IYT0900A-251	1/2 Dice	Air	230v/50hz/1	218 lbs / 99 kg	\$12,041	IYF0900A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D570, D970 or LB0730, LBCS1360 (see page 19-20).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


★**ENERGY STAR® QUALIFIED MODEL** | Air filter standard on self-contained air-cooled ice cube machines.
*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR CUBE (CONTINUED)



W 30 in D 24.5 in H 29.5 in
W 76.2 D 62.2 H 74.9 cm

*1213 lbs / 550 kg daily
at 70/50°F
*950 lbs / 431 kg daily
at 90/70°F



Not Stackable

IT1200 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT1200A-261	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	\$13,699	ID1106A-261
IDT1200W-261	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	\$14,384	ID1106W-261
IDT1200N-261A	Dice	Remote	208-230v/60hz/1	228 lbs / 103 kg	\$13,523	IDT1200N-261
IYT1200A-261	1/2 Dice	Air	208-230v/60hz/1	241 lbs / 109 kg	\$13,699	IY1106A-261
IYT1200A-261X	1/2 Dice	Air	208-230v/60hz/1	246 lbs / 112 kg	\$14,454	IY1106A-261X
IYT1200A-263A	1/2 Dice	Air	208-230v/60hz/3	241 lbs / 109 kg	\$13,999	IYT1200A-263
IYT1200W-261	1/2 Dice	Water	208-230v/60hz/1	238 lbs / 108 kg	\$14,384	IY1106W-261
IYT1200W-263A	1/2 Dice	Water	208-230v/60hz/3	238 lbs / 108 kg	\$14,684	IYT1200W-263
IYT1200N-261A	1/2 Dice	Remote	208-230v/60hz/1	236 lbs / 107 kg	\$13,523	IYT1200N-261
IYT1200N-263A	1/2 Dice	Remote	208-230v/60hz/3	236 lbs / 107 kg	\$13,823	IY1196N3-263
IDT1200A-251	Dice	Air	230v/50hz/1	232 lbs / 105 kg	\$13,924	ID1106A-251
IDT1200W-251	Dice	Water	230v/50hz/1	228 lbs / 103 kg	\$14,609	ID1106W-251
IDT1200N-251A	Dice	Remote	230v/50hz/1	228 lbs / 103 kg	\$13,748	IDT1200N-251
IYT1200A-251	1/2 Dice	Air	230v/50hz/1	241 lbs / 109 kg	\$13,924	IY1106A-251
IYT1200W-251	1/2 Dice	Water	230v/50hz/1	238 lbs / 108 kg	\$14,609	IY1106W-251
IYT1200N-251A	1/2 Dice	Remote	230v/50hz/1	236 lbs / 107 kg	\$13,748	IYT1200N-251

If factory installed LuminIce II not ordered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D970, D570, LB1448, LB1460, LBSC1360 (see page 19-20)

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCT1200 remote condenser and RT()R-410A tubing kit (see page 10).


Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 48 in D24.5 in H29.5 in
W 121.9 D 62.2 H 74.9 cm

*1660 lbs / 753 kg
at 70/50°F
*1412 lbs / 640 kg
at 90/70°F



Not Stackable

IT1500 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT1500A-261A	Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$15,593	IDT1500A-261
IDT1500A-263E	Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$15,943	IDT1500A-263
IDT1500W-261A	Dice	Water	208-230v/60hz/1	298 lbs / 135 kg	\$16,373	IDT1500W-261
IDT1500W-263E	Dice	Water	208-230v/60hz/3	298 lbs / 135 kg	\$16,723	IDT1500W-263
IDT1500N-261E	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	\$15,399★	IDT1500N-261A
IYT1500A-261A	1/2 Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$15,593	IYT1500A-261
IYT1500A-261AX	1/2 Dice	Air	208-230v/60hz/1	297 lbs / 135 kg	\$16,348	IYT1500A-261X
IYT1500A-263E	1/2 Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$15,943★	IYT1500A-263
IYT1500W-261A	1/2 Dice	Water	208-230v/60hz/1	294 lbs / 133 kg	\$16,373	IYT1500W-261
IYT1500W-263E	1/2 Dice	Water	208-230v/60hz/3	294 lbs / 133 kg	\$16,723	IYT1500W-263
IYT1500N-261E	1/2 Dice	Remote	208-230v/60hz/1	298 lbs / 135 kg	\$15,399★	IYT1500N-261A
IYT1500N-261EX	1/2 Dice	Remote	208-230v/60hz/1	303 lbs / 137 kg	\$16,154	IYT1500N-261X
IYT1500N-263E	1/2 Dice	Remote	208-230v/60hz/3	298 lbs / 135 kg	\$15,749★	IYT1500N-263
IDT1500A-251A	Dice	Air	230v/50hz/1	292 lbs / 132 kg	\$15,818	IDT1500A-251
IDT1500W-251A	Dice	Water	230v/50hz/1	292 lbs / 132 kg	\$16,598	IDT1500W-251
IDT1500N-251E	Dice	Remote	230v/50hz/1	293 lbs / 133 kg	\$15,624	IDT1500N-251
IYT1500A-251A	1/2 Dice	Air	230V/50HZ/1	292 lbs / 132 kg	\$15,818	IYT1500A-251
IYT1500W-251A	1/2 Dice	Water	230v/50hz/1	294 lbs / 133 kg	\$16,598	IYT1500W-251
IYT1500N-251E	1/2 Dice	Remote	230V/50HZ/1	298 lbs / 135 kg	\$15,624	IYT1500N-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

RECOMMENDED BINS: D970, LB1448, LB1460, LB1760, LBSC1360+S (See page 19-20s).

See pages 22-23 for required adapters and deflectors.


¹Use JCT1500 remote condenser and RL()R-410A tubing kit (see page 10).

Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR CUBE (CONTINUED)



W 48 in D 24.5 in H 29.5 in
W 121.9 D 62.2 H 74.9 cm

*1965 lbs / 891 kg
at 70/50°F
*1535 lbs / 696 kg
at 90/70°F



Not Stackable

IT1900 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IRT1900A-261E	Regular	Air	208-230v/60hz/1	317 lbs / 144 kg	\$18,806	IRT1900A-261
IRT1900A-263E	Regular	Air	208-230v/60hz/3	317 lbs / 144 kg	\$19,156	IRT1900A-263
IRT1900N-261E	Regular	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$18,637	IRT1900N-261A
IRT1900N-263E	Regular	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$18,987	IRT1900N-263
IRT1900N-263EX	Regular	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$19,742	IRT1900N-263X
IDT1900A-261E	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	\$18,506	IDT1900A-261
IDT1900A-263E	Dice	Air	208-230v/60hz/3	317 lbs / 144 kg	\$18,856	IDT1900A-263
IDT1900W-261E	Dice	Water	208-230v/60hz/1	319 lbs / 145 kg	\$19,431	IDT1900W-261A
IDT1900W-263E	Dice	Water	208-230v/60hz/3	319 lbs / 145 kg	\$19,781	IDT1900W-263
IDT1900N-261E	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$18,337★	IDT1900N-261A
IDT1900N-263E	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$18,687★	IDT1900N-263
IYT1900A-261E	1/2 Dice	Air	208-230v/60hz/1	321 lbs / 146 kg	\$18,506	IYT1900A-261
IYT1900A-263E	1/2 Dice	Air	208-230v/60hz/3	321 lbs / 146 kg	\$18,856	IYT1900A-263
IYT1900W-261E	1/2 Dice	Water	208-230v/60hz/1	322 lbs / 146 kg	\$19,431	IYT1900W-261A
IYT1900W-263E	1/2 Dice	Water	208-230v/60hz/3	322 lbs / 146 kg	\$19,781	IYT1900W-263
IYT1900N-261E	1/2 Dice	Remote	208-230v/60hz/1	330 lbs / 150 kg	\$18,337★	IYT1900N-261A
IYT1900N-261EX	1/2 Dice	Remote	208-230v/60hz/1	335 lbs / 152 kg	\$19,092	IYT1900N-261X
IYT1900N-263E	1/2 Dice	Remote	208-230v/60hz/3	330 lbs / 150 kg	\$18,687★	IYT1900N-263
IYT1900N-263EX	1/2 Dice	Remote	208-230v/60hz/3	335 lbs / 152 kg	\$19,442	IYT1900N-263X
IRT1900A-251E	Regular	Air	230v/50hz/1	317 lbs / 144 kg	\$19,031	IRT1900A-251
IDT1900A-251E	Dice	Air	230v/50hz/1	317 lbs / 144 kg	\$18,731	IDT1900A-251
IDT1900N-251E	Dice	Remote	230v/50hz/1	324 lbs / 147 kg	\$18,562	IDT1900N-251
IYT1900A-251E	1/2 Dice	Air	230v/50hz/1	324 lbs / 146 kg	\$18,731	IYT1900A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


RECOMMENDED BINS: D970, LB1448, LB1460, LB1760, LBCS1360+S (See page 20).

See pages 22-23 for required adapters and deflectors.

¹Use JCT1500 remote condenser and RL()R-410A tubing kit (see page 10).

Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc LB-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.




W 48 in D 31 in H 36 in
W 121.9 D 78.7 H 91.4 cm

*3200 lbs / 1451 kg daily
at 70/50°F
*2584 lbs / 1172 kg daily
at 90/70°F

S-3000 SERIES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
SDT3000W-263H	Dice	Water	208-230v/60hz/31	501 lbs / 227 kg	\$33,023	SD3303W3-263HP
SYT3000W-263H	1/2 Dice	Water	208-230v/60hz/3	516 lbs / 234 kg	\$33,023	SY3305W3-263HP



Not Stackable

RECOMMENDED BINS: LB1448, LB1460, LB1760, LBCS130+S (See page 20).

See pages 22-23 for required adapters and deflectors.

Not for use with iAuCS cleaning system or LuminIce II.


K00391 and K00396 Needed for the LB1448. Requires adapter that does not come with the bin. KLB604800 with the LB1460 and LB1760 and the KLB614800 for the LBCS1360.

H = High pressure valve regulates from 20 psi to 350 psi or 137.9 kPa to 2413.2 kPa.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

REMOTE



STANDARD REMOTE AIR-COOLED CONDENSER

MODEL	FOR USE WITH REMOTE ICE MACHINE	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
JCF0500-161	iF0500N	115v/60hz/1	64 lbs / 29 kg	\$2,157	JC0495-161
JCF0500-161Q	iF0500N	115v/60hz/1	65 lbs / 29 kg	\$2,457	JC0495-161Q
JCF0900-261	iF0600N & iF900N	208-230v/60hz/1	78 lbs / 35 kg	\$2,432	JC 0895 AND 0995-261
JCF0900-261Q	iF0600N & iF900N	208-230v/60hz/1	79 lbs / 36 kg	\$2,732	JC0995-261Q
JCT1200-261	iT1200N	208-230v/60hz/1	78 lbs / 35 kg	\$2,701	JC0995-261
JCT1500-261	iT1500N and iT1900N	208-230v/60hz/1	80 lbs / 36 kg	\$2,889	JC1395-261
JCT1500-261Q	iT1500N and iT1900N	208-230v/60hz/1	81 lbs / 37 kg	\$3,189	JC1395-261Q
JCF0900-251	iF0600N and iF0900N	230v/50hz/1	78 lbs / 35 kg	\$2,657	JC0895 AND 0995-251
JCT1200-251	iT1200N	230v/50hz/1	78 lbs / 35 kg	\$2,926	JC0995-251
JCT1500-251	iT1500N and iT1900N	230v/50hz/1	80 lbs / 36 kg	\$3,114	JC1395-251

NOTE: Models with Q suffix are available with coated coils that provide extra corrosion protection in salt spray environments. Coated Coil models require longer lead time, please contact the factory.



STANDARD REMOTE TUBING KITS & ACCESSORIES

KIT	FOR USE WITH SERIES	TUBING LENGTH	SHIPPING WEIGHT	SUGGESTED LIST PRICE
RT20R404	iF0500, iF600 and iF900 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$541
RT35R404	iF0500, iF600 and iF900 Precharged with quick connects	35ft / 10.7m	15 lbs / 7 kg	\$665
RT50R404	iF0500, iF600 and iF900 Precharged with quick connects	50ft / 15.2m	22 lbs / 10 kg	\$801
RT20R410A	iT500 and iT1200 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$556
RT35R410A	iT500 and iT1200 Precharged with quick connects	35ft / 10.7m	15 lbs / 7 kg	\$686
RT50R410A	iT500 and iT1200 Precharged with quick connects	50ft / 15.2m	22 lbs / 10 kg	\$824
RL20R410A	iT1500 and iT1900 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$556
RL35R410A	iT1500 and iT1900 Precharged with quick connects	35ft / 10.7m	15 lbs / 7 kg	\$686
RL50R410A	iT1500 and iT1900 Precharged with quick connects	50ft / 15.2m	22 lbs / 10 kg	\$824
ACCESSORY				
K00129	Remote Coupling Kit needed for non-Manitowoc Tubing		2 lbs / 1 kg	\$188


NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo NXT, RNF or RNS model requires a NEW condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.

TOP AIR DISCHARGE KIT			
KIT	FOR USE WITH SERIES	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00379	Indigo NXT iT0450, iT0500, iF0600, iT0750	18 lbs / 9 kg	\$598
K00438	Indigo NXT iT0420 and iT0620 models	17 lbs / 8 kg	\$598
K00439	Indigo NXT iF0900 and iT0900	17 lbs / 8 kg	\$598
K00449	Indigo NXT iT1200	18 lbs / 9 kg	\$598
K00481B	Indigo NXT iT1500 and iT1900 models	29 lbs / 13 kg	\$598


NOTE: Top air discharge kits are used when there is not sufficient clearance on the sides of an air cooled machine. These kits change the side panels and top panel so the air intake is from the back of the machine and the exhaust is re-routed out of the top of the machine rather than the sides.

QUIETQUBE ICE MACHINES


QUIETQUBE® ICE MACHINES



iF0600C
W 30 in D 24.5 in H 21.5 in
W 76.2 D 62.2 H 54.6 cm
iF0900C
W 30 in D 24.5 in H 26.5 in
W 76.2 D 62.2 H 67.3 cm
iT1200C
W 30 in D 24.5 in H 29.5 in
W 76.2 D 62.2 H 74.9 cm




iF1400C
W 30 in D 24.5 in H 25 in
W 76.2 D 62.2 H 63.5 cm
iF1800C
W 30 in D 24.5 in H 29.5 in
W 76.2 D 62.2 H 74.9 cm



SF3000C
W 48 in D 31 in H 36 in
W 121.9 D 78.7 H 91.4 cm

ICE/BEV ICE MACHINES



IBF0620
W 22 in D 14 in H 24 in
W 55.9 D 35.6 H 61.0 cm
IBF0820
W 22 in D 14 in H 26.5 in
W 55.9 D 35.6 H 67.3 cm
IBT1020C
W 22 in D 14 in H 30.5 in
W 55.9 D 35.6 H 77.5 cm


QUIETQUBE® AND ICE BEVERAGE MACHINES

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT1200C-161	Dice	Remote	115v/60Hz/1	171 lbs / 78 kg	\$12,572	ID1176C-161
IDF1400C-161	Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	\$13,653	ID1472C-161
IDF1800C-161	Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$17,283	ID1872C-161
SDF3000C-161	Dice	Remote	115v/60Hz/1	423 lbs / 192 kg	\$30,470	SD3072C-161
IYF0600C-161	1/2 Dice	Remote	115v/60Hz/1	146 lbs / 66 kg	\$8,968★	IY0686C-161
IYF0900C-161	1/2 Dice	Remote	115v/60Hz/1	161 lbs / 73 kg	\$11,054★	IY0976C-161
IYF0900C-161X	1/2 Dice	Remote	115v/60Hz/1	166 lbs / 75 kg	\$11,809	IY0976C-161X
IYT1200C-161	1/2 Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	\$12,572	IY1176C-161
IYF1400C-161	1/2 Dice	Remote	115v/60Hz/1	179 lbs / 81 kg	\$13,653	IY1474C-161
IYF1400C-161X	1/2 Dice	Remote	115v/60Hz/1	184 lbs / 83 kg	\$14,408	IY1474C-161X
IYF1800C-161	1/2 Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$17,283	IY1874C-161
IYF1800C-161X	1/2 Dice	Remote	115v/60Hz/1	215 lbs / 98 kg	\$18,038	IY1874C-161X
SYF3000C-161	1/2 Dice	Remote	115v/60Hz/1	423 lbs / 192 kg	\$30,470	SY3074C-161
IBF0620C-161	1/2 Dice	Remote	115v/60Hz/1	122 lbs / 55 kg	\$9,917	IB0696YC-161
IBF0820C-161	1/2 Dice	Remote	115v/60Hz/1	130 lbs / 59 kg	\$11,829★	IB0894YC-161
IBT1020C-161	1/2 Dice	Remote	115v/60Hz/1	148 lbs / 67 kg	\$12,868	IB1094YC-161
IYF0600C-251	1/2 Dice	Remote	230v/50hz/1	146 lbs / 66 kg	\$9,028	IY0686C-251
IYF1800C-251	1/2 Dice	Remote	230v/50hz/1	210 lbs / 95 kg	\$17,508	IY1874C-251
IBT1020C-251	1/2 Dice	Remote	230v/50hz/1	148 lbs / 67 kg	\$13,093	IBF0820C-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

QUIETQUBE ICE MACHINES					
MODEL	70/50°F	90/70°F	MODEL	70/50°F	90/70 F
IDT1200C	1,140 lbs / 519 kg	975 lbs / 442 kg	IYF1400C	1,425 lbs / 646 kg	1,230 lbs / 558 kg
IDF1400C	1,350 lbs / 612 kg	1,120 lbs / 508 kg	IYF1800C	1,660 lbs / 753 kg	1,440 lbs / 653 kg
IDF1800C	1,660 lbs / 573 kg	1,375 lbs / 624 kg	SYF3000C	2,910 lbs / 1,320 kg	2,400 lbs / 1,089 kg
SDF3000C	2,850 lbs / 1,293 kg	2,233 lbs / 1,013 kg	IBF0620C	675 lbs / 306 kg	564 lbs / 256 kg
IYF0600C	600 lbs / 272 kg	530 lbs / 240 kg	IBF0820C	825 lbs / 374 kg	728 lbs / 330 kg
IYF0900C	816 lbs / 370 kg	675 lbs / 306 kg	IBT1020C	1,206 lbs / 547 kg	1,030 lbs / 467 kg
IYT1200C	1,215 lbs / 551 kg	1,000 lbs / 454 kg			

Ice deflectors required for single machines on LB-style bins.
Two machines side by side require unique deflectors and adapters. (See page 22 for reference.)



ICE MAKER



CONDENSING UNIT



TUBING




QUIETQUBE®
OR
ICE/BEVERAGE
ICE MAKING
COMPONENTS¹

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo remote model requires a NEW condenser and line set. Only Manitowoc CVD condensing units are approved with QQ and IB Series machines.

¹Appropriate adapter is required with ice dispensers or storage bin. For Quiet Qube machines other than IB machines, an optional K00477 bin dispenser thermostat kit maybe required for high humidity locations to reduce equipment sweating. IB ice machines come equipped from the factory with a built in bin dispenser thermostat.


★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

CONDENSING UNITS



CVDF0600, CDVF0900,
CVDT1200, CVDF1400,
CVDF1800, RCU1000,
RCUF1200, RCUF2200
W 34 in D 24.13 in H 25.75 in
W 86.4 D 61.3 H 65.4 cm

RJC1275
W 45.5 in D 16.5 in H 31 in
W 115.6 D 42 H 78.5 cm



CVDF3000
W 53 in D 26 in H 25.75 in
W 134.6 D 66 H 65.4 cm

RJC2375
W 51.4 in D 18.5 in H 45.7 in
W 130.6 D 47 H 116 cm

CONDENSING UNITS


MODEL	COOLING	USE WITH	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
CVDF0600-261A	Air	iF0600C, ibF0620C	208-230v/60hz/1	178 lbs / 81 kg	\$3,805	CVDF0600-261
CVDF0600-263A	Air	iF0600C, ibF0620C	208-230v/60hz/3	178 lbs / 81 kg	\$4,105	CVDF0600-263
CVDF0900-261A	Air	iF0900C, ibF0820C	208-230v/60hz/1	183 lbs / 83 kg	\$4,196	CVDF0900-261
CVDF0900-263A	Air	iF0900C, ibF0820C	208-230v/60hz/3	183 lbs / 83 kg	\$4,496	CVDF0900-263
CVDT1200-261A	Air	iT1200C, ibT1020C	208-230v/60hz/1	208 lbs / 94 kg	\$4,753	CVDT1200-261
CVDT1200-263A	Air	iT1200C, ibT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$5,053	CVDT1200-261
CVDT1200-263AQ	Air	iT1200C, ibT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$5,353	CVDT1200-263Q
CVDF1400-261A	Air	iF1400C	208-230v/60hz/1	190 lbs / 86 kg	\$5,241	CVDF1400-261
CVDF1400-261AQ	Air	iF1400C	208-230v/60hz/1	190 lbs / 86 kg	\$5,541	CVDF1400-261Q
CVDF1400-263A	Air	iF1400C	208-230v/60hz/3	190 lbs / 86 kg	\$5,541	CVDF1400-263
CVDF1800-261A	Air	iF1800C	208-230v/60hz/1	195 lbs / 88 kg	\$6,010	CVDF1800-261
CVDF1800-263A	Air	iF1800C	208-230v/60hz/3	195 lbs / 88 kg	\$6,360	CVDF1800-263
CVDF3000-263	Air	sF3000C	208-230v/60hz/3	268 lbs / 122 kg	\$10,270	CVDF3000-263
RCUF1200-261	Air	RFF1220C	208-230v/60hz/1	201 lbs / 91 kg	\$4,420	RCUF1200-261
RCUF1000-261A	Air	RNF1020C	208-230v/60hz/1	201 lbs / 91 kg	\$4,335	RCUF1000-261
RCUF2200-263	Air	RFF2200C, RNF2000C	208-230v/60hz/3	249 lbs / 113 kg	\$5,482	RCUF2200-263
CVDF0600-251A	Air	iF0600C	230v/50hz/1	178 lbs / 81 kg	\$3,865	CVDF0600-251
CVDT1200-251A	Air	iBT1200C	230v/50hz/1	208 lbs / 94 kg	\$4,978	N/A
CVDF1800-251A	Air	iF1800C	230v/50hz/1	195 lbs / 88 kg	\$6,235	CVDF1800-251
RJC1275-453	Air	RFS1278C	380-415/50hz/3	315 lbs / 143 kg	\$8,308	N/A
RJC2375-453	Air	RFS2378C	380-415/50hz/3	315 lbs / 143 kg	\$11,688	N/A

NOTE: Models with "Q" suffix are available with coated coils that provide extra corrosion protection in salt spray environments

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

KIT	INDIGO NXT, FLAKE NUGGET REMOTE TUBING KITS	SHIPPING WEIGHT	SUGGESTED LIST PRICE
RC21	20 ft / 6.1 m tubing length for CVDF0600, CVDF0900, CVDT1200, RCUF and RJC condensing units. Not Precharged	12 lbs / 5 kg	\$375
RC31	30 ft / 9.1 m tubing length for CVDF0600, CDVF0900, CVDT1200, RCUF and RJC condensing units. Not Precharged	17 lbs / 8 kg	\$539
RC51	50 ft / 15.2 m tubing length for CVDF0600, CVDF0900, CVDT1200, RCUF and RJC condensing units. Not Precharged	27 lbs / 12 kg	\$910
RC20	20 ft / 6.1 m tubing length for CDVF-1400 and 1800. Not Precharged	14 lbs / 6 kg	\$415
RC30	30 ft / 9.1 m tubing length for CDVF-1400 and 1800. Not Precharged	20 lbs / 9 kg	\$619
RC50	50 ft / 15.2 m tubing length for CDVF-1400 and 1800. Not Precharged	31 lbs / 14 kg	\$978
K00166	"S" Trap kit for CVDF1400, 1800, 2100 and CDVF3000 condensing units with line set rise over 20 ft / 6.1 m		\$100
K00172	S-Trap kit for Indigo Series CVDF0600 and 0900 and CVDT1200 condensing units with lines set rise over 20 ft / 6.1 m		\$96
SF3000C TUBING KITS			
RC24	20 ft / 6.1 m Tubing length for CVDF3000	37 lbs / 17 kg	\$784
RC34	30 ft / 9.1 m Tubing length for CVDF3000	47 lbs / 21 kg	\$1,142
RC54	50 ft / 15.2 m Tubing length for CVDF3000	73 lbs / 33 kg	\$1,847
*IB ADAPTER FOR CORNELIUS DISPENSER: ORDERED AND SHIPPED FROM MANITOWOC ICE			
K00340	For 22 in / 55.9 cm wide Enduro 150 for McDonald's ABS unit	27 lbs / 12 kg	\$1,302
K00341	24.5 in / 62.2 cm Enduro 175 kit no longer available (use Cornelius 629007571)		
K00342	30 in / 76.2 cm Enduro 200 / 250	31 lbs / 14 kg	\$1,618
K00343	44 in / 111.8 cm Enduro 300	47 lbs / 21 kg	\$1,931
IB ACCESSORY			
K00436	IBT1020C Back Enclosure Kit (for IB1094YC and IBT1020C only) Hides electrical and water lines for pleasing appearance.	12 lbs / 5 kg	\$321

SPECIALTY MODELS




Not Stackable


PRISON

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0450A-161P	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	\$7,970	ID0452A-161P
IDT0450W-161P	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	\$8,323	ID0453W-161P
IDT0620A-161P	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	\$8,686	ID0522A-161P
IDT0620W-161P	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$9,075	ID0523W-161P
IDT0750A-261P	Dice	Air	208-230v/60hz/1	194 lbs / 88 kg	\$10,240	IDF0600A-261P
IDT1200A-261P	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	\$14,599	ID1106A-261P
IDT1200W-261P	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	\$15,284	ID1106W-261P
IDT1500A-261P	Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$16,493	IDT1500A-261P
IDT1500N-261EP	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	\$16,299	IDT1500N-261P
IDT1900A-261EP	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	\$19,406	IDT1900A-261P
IDT1900N-261EP	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$19,237	IDT1900N-261P
IDT1900N-263EP	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$19,587	IDT1900N-263P

NOTE: For dimensions and performance see base model
Prison models require more lead time than normal, please contact the factory.
LuminIce II is available as an after-market kit. Please see page 24.



Not Stackable



Not Stackable

MARINE

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDT0750W-261M	Dice	Water	208-230v/60hz/1	194 lbs / 88 kg	\$12,315	IDF0600W-261M
IDT0900W-261M	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$15,486	IDF0900W-261M
IDT1900W-261EM	Dice	Water	208-230v/60hz/1	334 lbs / 151 kg	\$21,823	IDT1900W-261AM
IYT0900W-261M	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$15,486	IYF0900W-261M
IYT1900W-261EM	1/2 Dice	Water	208-230v/60hz/1	337 lbs / 153 kg	\$21,823	IYT1900W-261AM
IYT1900W-263EM	1/2 Dice	Water	208-230v/60hz/3	337 lbs / 153 kg	\$22,173	IYT1900W-263M
IDT0900W-261V	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$16,183	IDF0900W-261V
IYT0900W-261V	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$16,183	IYF0900W-261V
IDT1900W-261EV	Dice	Water	208-230v/60hz/1	334 lbs / 151kg	\$22,478	IDT1900W-261V
IYT1900W-261EV	1/2 Dice	Water	208-230v/60hz/1	337 lbs / 153kg	\$22,478	IYT1900W-261V

NOTE: For dimensions and performance see base model
Marine models require more lead time than normal, please check with the factory.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

UNDERCOUNTER FLAKE



W 19.7 in D 26 in H 37.5 in
W 50.0 D 66.0 H 95.3 cm

*272 lbs / 123 kg daily at 70/50°F
*201 lbs / 91 kg daily at 90/70°F

UFP0200

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UFP0200A-161	Flake	Air	115v/60hz/1	168 lbs / 76 kg	\$9,549★	UFF0200A-161
UFP0200AZ-251	Flake	Air	230v/50hz/1	168 lbs / 76 kg	\$9,609	RF0266AZ-251

APPLICATION STORAGE CAPACITY: 50 lbs / 23 kg. Cubic volume 1.7. Storage capacity is AHRI certified.
Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS® or LuminIce II.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 29 in D 27 in H 39.5 in
W 73.8 D 69.0 H 100.4 cm


400 lbs / 181 kg at 70/50 F
321 lbs / 145 kg at 90/70 F

UFP0350

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UFP0350A-161	Flake	Air	115v/60hz/1	224 lbs / 102 kg	\$9,749★	UFF0350A-161
UFP0350AZ-251	Flake	Air	230v/50hz/1	224 lbs / 102 kg	\$9,809	RF0385AZ-251

APPLICATION STORAGE CAPACITY: 60 lbs/27 kg. Measured cubic volume 2.04 Storage Capacity is AHRI certified
Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³
Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS or LuminIce II.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord.

MODULAR FLAKE MACHINES



W 22 in D 23.6 in H 26 in
W 55.9 D 59.9 H 66.0 cm

*365 lbs / 165 kg daily at 70/50°F
*287 lbs / 130 kg daily at 90/70°F


RFP0320

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFP0320A-161	Flake	Air	115v/60hz/1	174 lbs / 79 kg	\$8,488★	RFF0320A-161
RFP0320AZ-251	Flake	Air	230v/50hz/1	174 lbs / 79 kg	\$8,548	RFS0300AZ-251



Not Stackable

RECOMMENDED BINS: D320 or D420 (See page 19-20).
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in
W 55.9 D 59.9 H 66.0 cm

*682 lbs / 309 kg daily at 70/50°F
*527 lbs / 239 kg daily at 90/70°F

RFP0620

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFP0620A-161	Flake	Air	115v/60hz/1	230 lbs / 104 kg	\$10,532	RFF0620A-161
RFP0620W-161	Flake	Water	115v/60hz/1	230 lbs / 104 kg	\$11,059	RFF0620W-161
RFP0620AZ-251	Flake	Air	230v/50hz/1	230 lbs / 104 kg	\$10,592	RFS0650AZ-251
RFP0620WZ-251	Flake	Water	230v/50hz/1	230 lbs / 104 kg	\$11,119	RFS0650WZ-251




Not Stackable

RECOMMENDED BINS: D320 or D420 (See page 19-20).
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.

★ENERGY STAR® QUALIFIED MODEL | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

MODULAR FLAKE



W 30 in D 23.6 in H 27.4 in
W 76.2 D 59.9 H 70.0 cm

*1264 lbs / 573 kg daily at 70/50°F
*951 lbs / 431 kg daily at 90/70°F


RFF1300

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFF1300A-261	Flake	Air	208-230v/60hz/1	263 lbs / 119 kg	\$15,551	RFS1200A-261
RFF1300W-261	Flake	Water	208-230v/60hz/1	263 lbs / 119 kg	\$16,328	RFS1200W-261
RFK1300AZ-251	Flake	Air	230v/50hz/1	263 lbs / 119 kg	\$15,776	RFS1200AZ-251
RFK1300WZ-251	Flake	Water	230v/50hz/1	263 lbs / 119 kg	\$16,553	RFS1200WZ-251



Not Stackable

RECOMMENDED BINS: D570, D970 (See page 19-20)
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce® II
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in
W 55.9 D 59.9 H 66.0 cm

*1092 lbs / 495 kg daily at 70/50°F
*958 lbs / 435 kg daily at 90/70°F


RFF1220/RFS1278

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFF1220C-261	Flake	Remote	208-230v/60hz/1	186 lbs / 84 kg	\$13,446	RFS1278C-261
RFS1278C-251	Flake	Remote	230v/50hz/1	186 lbs / 84 kg	\$13,671	N/A



Not Stackable

**Requires RCUF1200 (60hz) or RJC 1275 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)
RECOMMENDED BINS: D420, D970. (See page 19-20)
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.



W 30 in D 23.6 in H 27.4 in
W 76.2 D 59.9 H 70.0 cm

* 2063 lbs / 936 kg daily at 70/50°F
1702 lbs / 772 kg daily at 90/70°F

RFF2200C/RFS2378C

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RFF2200C-261	Flake	Remote	208-230v/60hz/1	279 lbs / 127 kg	\$22,745	RFS2378C-261
RFS2378C-251	Flake	Remote	230v/50hz/1	279 lbs / 127 kg	\$22,970	N/A



Not Stackable

**Requires RCUF2200 (60hz) or RJC2375 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)
RECOMMENDED BINS: D970, LB1448, LB1460, LB1760, and LBCS1360
(See page 19-20)
See pages 22-23 for required adapters.
Use cleaner (000000084) only with this model.
Price list performance rating is 60hz data.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.

★**ENERGY STAR® QUALIFIED MODEL** | Air filter standard on self-contained air-cooled ice cube machines.
* Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

COUNTERTOP NUGGET



CNF0201:

W 16.25 in D 24 in H 35 in
W 41.3 D 61 H 106.7 cm

*315 lbs / 143 kg daily at 70/50°F
*222 lbs / 101 kg daily at 90/70°F



CNF0202:

W 16.25 in D 24 in H 42 in
W 41.3 D 61 H 106.7 cm

*315 lbs / 143 kg daily at 70/50°F
*222 lbs / 101 kg daily at 90/70°F

CNF0201 / 202

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
CNF0201A-161L	Nugget	Air	115v/60hz/1	184 lbs / 127 kg	\$10,341	RNS12A-161
CNF0201A-161	Nugget	Air	115v/60hz/1	184 lbs / 127 kg	\$10,641	RNS12AT-161
CNF0201A-161N	Nugget	Air	115v/60hz/1	184 lbs / 127 kg	\$10,641	N/A
CNF0202A-161L	Nugget	Air	115v/60hz/1	198 lbs / 90 kg	\$12,500	RNS20A-161
CNF0202A-161	Nugget	Air	115v/60hz/1	198 lbs / 90 kg	\$12,800	RNS20AT-161
CNF0202A-161N	Nugget	Air	115v/60hz/1	198 lbs / 90 kg	\$12,800	N/A
CNF0201A-251L	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$10,401	RNS12A-251
CNF0201A-251	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$10,701	RNS12AT-251
CNF0202A-251L	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$12,560	RNS20A-251
CNF0202A-251	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$12,860	RNS20AT-251

NOTE DISPENSING TYPE: "-161L" is lever activated and "-161" is sensor activated.

3 dispensing options: Ice, water, and ice/water together.

Bin capacity is 10 lbs / 4.5 kg for CNF0201 and 20 lbs / 9 kg for CNF0202.

Legs sold separately, see kit K00345001 below.

USE CLEANER (000000084) ONLY WITH THIS MODEL.

Not compatible with iAuCS. Price list performance rating is 60hz data. -161N is a solid front panel option.

Push buttons are covered to make machine completely touchless.

KIT	DESCRIPTION	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00345001	Leg Kit (Adjustable: 4.5 in - 6.5 in / 11.43 - 16.5 cm)	—	3 lbs / 1.3 kg	\$160
K00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	3 lbs / 1.3 kg	\$537
K00514	Solid Front panel replacement for CNF0201 or RNS12, covers buttons to make machine completely touchless	—	10 lbs / 5 kg	\$300
K00515	Solid Front panel replacement for the CNF0202 or RNS20, covers buttons to make machine completely touchless	—	10 lbs / 5 kg	\$320
K00453	CNF Stand	—	100 lbs / 45.4 kg	\$1,243



W 16.25 in D 24 in H 42 in
W 41.3 D 61 H 106.7 cm

*315 lbs / 143 kg daily at 70/50°F
*222 lbs / 101 kg daily at 90/70°F

K00453 has been rated to accommodate weight of 850 lbs. Can be used with the S-150 (without the legs) with either the IT0420 or IT620 Indigo NXT ice machine.

UNDERCOUNTER NUGGET



W 19.69 in D 25.98 in H 33.17 in
W 50 D 66 H 84.3 cm

*220 lbs / 100 kg daily at 70/50°F
*164 lbs / 74 kg daily at 90/70°F

UNP0200

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UNP0200A-161	Nugget	Air	115v/60hz/1	157 lbs / 72 kg	\$8,784★	UNF0200A-161
UNK0200AZ-251	Nugget	Air	230v/50hz/1	157 lbs / 72 kg	\$8,844	RNS0244AZ-251

APPLICATION ICE STORAGE CAPACITY: 30 lbs / 14kg. Measured cubic volume 1.03. Storage capacity is AHRI certified.

Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.

Use cleaner (000000084) only with this model.

Not compatible with iAuCS, LuminIce II, or casters.

Price list performance rating is 60hz data. 50 Hz Electric Connection:

Add Z for Bare Lead cord.



W 29.06 in D 27.17 in H 39.52 in
W 73.8 D 69 H 100.4 cm

*325 lbs / 148 kg daily at 70/50°F
*286 lbs / 130 kg daily at 90/70°F

UNP0300

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UNP0300A-161	Nugget	Air	115v/60hz/1	224 lbs / 102 kg	\$10,094★	UNF0300A-161
UNK0300AZ-251	Nugget	Air	230v/50hz/1	224 lbs / 102 kg	\$10,154	RNS0385AZ-251

APPLICATION STORAGE CAPACITY: 60 lbs / 27kg. Measured cubic volume 2.04. Storage capacity is AHRI certified.

Application storage capacity measured 90% of total volume in cu. ft x 22 lbs / ft³

Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.

Use cleaner (000000084) only with this model.

Not compatible with iAuCS, LuminIce II, or casters.


Price list performance rating is 60hz data.

50 Hz Electric Connection: Add Z for Bare Lead cord.

★ENERGY STAR® QUALIFIED MODEL

* Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.

MODULAR NUGGET



W 22 in D 23.6 in H 26 in
W 55.9 D 60 H 66 cm

*300 lbs / 136 kg daily at 70/50°F
*259 lbs / 117 kg daily at 90/70°F


RNP0320



Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNP0320A-161	Nugget	Air	115v/60hz/1	174 lbs / 79 kg	\$8,533★	RNF0320A-161
RNK0320AZ-251	Nugget	Air	230v/50hz/1	174 lbs / 79 kg	\$8,593	RNS0308AZ-251

RECOMMENDED BINS: D320 or D420 (see page 19-20) See page 22-23 for required adapters.
Use cleaner (000000084) only with this model.
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.
Not for use with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22 in D 23.6 in H 26 in
W 55.8 D 60 H 66 cm

*575 lbs / 261 kg daily at 70/50°F
*463 lbs / 210 kg daily at 90/70°F


RNP0620



Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNP0620A-161	Nugget	Air	115v/60hz/1	210 lbs / 95 kg	\$10,520	RNF0620A-161
RNP0620W-161	Nugget	Water	115v/60hz/1	210 lbs / 95 kg	\$11,046	RNF0620W-161
RNK0620AZ-251	Nugget	Air	230v/50hz/1	210 lbs / 95 kg	\$10,580	RNS0608A-251
RNK0620WZ-251	Nugget	Water	230v/50hz/1	210 lbs / 95 kg	\$11,106	RNS0609W-251

RECOMMENDED BINS: D420 or D570 (see page 19-20) D-570 will require an adapter, see pages 22-23
Use cleaner (000000084) only with this model.
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.



RNF1100

W 30 in D 23.62 in H 27.36 in
W 76.2 D 60 H 69.5 cm


*1078 lb / 489 kg daily at 70/50°F
*825 lb / 374 kg daily at 90/70°F

RNF1020C

W 22 in D 23.62 in H 27.36 in
W 55.8 D 60 H 69.5 cm

*1116 lb / 506 kg daily at 70/50°F
*900 lb / 408 kg daily at 90/70°F


RNF1100 / RNF1020



Not Stackable

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNF1100A-261	Nugget	Air	208-230v/60hz/1	275 lbs / 125 kg	\$15,830	RNS1008A-261
RNF1100W-261	Nugget	Water	208-230v/60hz/1	275 lbs / 125 kg	\$16,621	RNS1009W-261
RNF1020C-161	Nugget	Remote	115v/60Hz/1	195 lbs / 88 kg	\$15,228	RNS1078C-161
RNK1100AZ-251	Nugget	Remote	230v/50hz/1	275 lbs / 125 kg	\$16,055	RNS1008AZ-251

RECOMMENDED BINS: D970, LB0730, LB1448, LB1460, LB1760, LBCS1360 (see page 19-20)
See page 22-23 for required adapters.
**Requires RCUF1000 remote condensing unit and RC51 tubing kit.
Use cleaner (000000084) only with this model.
All dispenser manufacturers require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.
50 Hz Electric Connection: Add Z for Bare Lead cord.




RNF2000C

W 30 in D 23.6 in H 27.4 in

*1915 lbs / 868 kgs at 70/50°F
*1475 lbs / 669 kgs at 90/70°F

RNF2000C



Not Stackable


MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
RNF2000C-261	Nugget	Remote	208-230v/60hz/1	279 lbs / 127 kg	\$21,818	N/A

RECOMMENDED BINS: D970, LB0730, LB1448, LB1460, LB1760, LBCS1360 (see page ##).
**Requires RCUF2200 remote condensing unit and RC51 tubing kit.
Use cleaner 000000084 only with this model.
All dispenser manufacturer require a nugget ice adapter kit and ice level management kit.
Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.
Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.

★ENERGY STAR® QUALIFIED MODEL

* Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.

HOTEL DISPENSERS




ADA Compliant

W 22" D 31.19" H* 54"
W 55.9 D 78.7 H* 137.2 cm

SPA 162 / SFA 192 SERIES

MODEL	ICE TYPE	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
SPA162-161	120 lbs / 54 kg of storage	115V/60HZ/1	165 lbs / 75 kg	\$7,308	NA
SPA162-261	120 lbs / 54 kg of storage	208-230V/60HZ/1	165 lbs / 75 kg	\$7,383	NA
SFA192-161	120 lbs / 54 kg of storage	115V/60HZ/1	168 lbs / 76 kg	\$8,440	NA
SPA162-251	120 lbs / 54 kg of storage	230V/50HZ/1	165 lbs / 75 kg	\$7,368	NA
SFA192-251	120 lbs / 54 kg of storage	230V/50HZ/1	165 lbs / 75 kg	\$8,500	NA

SPA160 and SFA191 has "Push for Ice" chute dispense mechanism. SPA162 and SFA192 has Touchless lever ice chute dispense mechanism. Height adjustable (6 to 7.5 in / 15.2 to 19cm) stainless steel legs included. Accepts single 22 in / 55.9cm Dice or Half -Dice size ice machines no larger than IT0620 (order separately) Indigo NXT 22 in / 55.9 cm requires K0034800 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models include water valve. To convert SPA 160 and SFA291 to Touchless lever, order kit K00497 (see page 22)



ADA Compliant

W 32" D 32" H* 60.5"
W 76.2 D 81.3 H* 153.7 cm



SPA 312 / SFA 292 SERIES

MODEL	ICE TYPE	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
SPA312-161	180 lbs / 82 kg of storage	115V/60HZ/1	209 lbs / 95 kg	\$8,613	NA
SPA312-261	180 lbs / 82 kg of storage	208-230V/60HZ/1	209 lbs / 95 kg	\$8,688	NA
SFA292-161	180 lbs / 82 kg of storage	115V/60HZ/1	214 lbs / 97 kg	\$9,551	NA
SPA312-251	180 lbs / 82 kg of storage	230V/50HZ/1	209 lbs / 95 kg	\$8,673	NA
SFA292-251	180 lbs / 82 kg of storage	230V/50HZ/1	214 lbs / 97 kg	\$9,611	NA

SPA310 and SFA291 has "Push for Ice" chute dispense mechanism. SPA312 and SFA292 has Touchless lever ice chute dispense mechanism. Height adjustable (6 to 7.5 in / 15.2 to 19 cm) stainless steel legs included. Accepts single 22 in / 55.9cm (K00472 adapter required) or 30 in / 76.2 cm Dice or Half - Dice size ice machines no larger than IT0750 (order separately) Indigo NXT 30 in / 76.2 cm requires K00346 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models includes water valve. To convert SPA 310 and SFA292 to Touchless lever, order kit K00497 (see page 22)

*Includes 6"/15.2 cm adjustable leg

ICE / WATER DISPENSERS



(31.19" / 79 x 40.88 / 103.8 x 30" / 76.2)

MODEL	ICE DISPENSE	ICE STORAGE	WATER VALVE	ELECTRICAL	APPROX. SHIPPING WEIGHT	SUGGESTED LIST PRICE
S150						
S-150-2705519	Sanitary Lever	150 lbs / 68 kg	NO	115V/60/1	131 lbs / 59 kg	\$5,863.32
S-150-2704811	Sanitary Lever	150 lbs / 68 kg	YES	115V/60/1	131 lbs / 59 kg	\$6,345
S200						
S-200-2705138	Sanitary Lever	200 lbs / 91 kg	NO	115V/60/1	161 lbs / 73 kg	\$6,536.16
S-200-2705515	Sanitary Lever	200 lbs / 91 kg	YES	115V/60/1	161 lbs / 73 kg	\$7,016.76
S250						
S-250-2705514	Sanitary Lever	250 lbs / 113 kg	NO	115V/60/1	198 lbs / 90 kg	\$7,648.56
S-250-2705723	Sanitary Lever	250 lbs / 113 kg	YES	115V/60/1	198 lbs / 90 kg	\$8,131.32

ACCESSORIES

MODEL	S-150	S-200	S-250
22" MANITOWOC CUBER AND NUGGET	SL26-020000245 - \$587.23	SL16-5031149 - \$613.58	SL165031149 - \$613.58
30" MANITOWOC CUBER AND NUGGET	N/A	SL36-020001311 - \$343.09	SL36-020001311 - \$343.09
22" MANITOWOC IB CUBER	IB10-5013398 - \$616.09	IB13-5013505 - \$616.09	IB13-5013505 - \$616.09
SIDE SPLASH GUARDS	5031157 - \$386.40	5031157 - \$386.40	5031157 - \$386.40
NUGGET AGITATOR	020001847 - \$350.72	020001847 - \$350.72	20001847 - \$350.72
NUGGET ICE LEVEL MANAGEMENT	K00488 - \$449	K00488 - \$449	K00488 - \$449

ICE STORAGE BINS



D320
W 22" D 34" H 38"
W 55.9 D 86.4 H 96.5 cm




D400
W 30" D 34" H 38"
W 76.2 D 86.4 H 96.5 cm



D420
W 22" D 34" H 50"
W 55.9 D 86.4 H 127.0 cm



D570
W 30" D 34" H 50"
W 76.2 D 86.4 H 127.0 cm



D970
W 48" D 34" H 50"
W 121.9 D 86.4 H 127.0 cm

D-STYLE BINS

MODEL	APPLICATION CAPACITY	2018 AHRI CAPACITY (CU FT / CU M)	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
D320	264 lbs / 119 kg	8.9 /.25	75 lbs / 34 kg	\$2,446	B320
D400	383 lbs / 173 kg	12.9 /.35	108 lbs / 49 kg	\$2,544	B420
D420	365 lbs / 165 kg	12.3 /.37	91 lbs / 41 kg	\$2,672	B400
D570	532 lbs / 241 kg	17.9 /.51	115 lbs / 52 kg	\$2,936	B570
D970	882 lbs / 400 kg	29.7 /.84	150 lbs / 68 kg	\$4,071	B970



One set of stainless steel legs included in bin price for D-Series bin. Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in / 15.2 to 19.7 cm. For bin adapters and ice deflectors, please see page 23.
Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft³.
2018 AHRI Capacity is the total internal volume measured in cu. ft.

ICE STORAGE BINS



LB0730
W 30" x D 34" x 58"
W 76.2 x 86.4 D x 147.3 cm



LB1448
W 48" x D 34" x 67"
W 121.9 x 86.4 D x 170.2 cm



LB1460
W 60" x D 34" x 55"
W 152.4 x 86.4 D x 139.7 cm



LB1760
W 60" x D 34" x 67"
W 152.4 x 86.4 D x 170.2 cm



LB0730
W 30" x D 34" x 58"
W 76.2 x 86.4 D x 147.3 cm

MODEL	APPLICATION CAPACITY	2018 AHRI CAPACITY (CU. FT. / CU. M.)	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
LB0730	683 (309.8)	23 (.65)	275 (124.7)	\$6,694	F-700
LB1448	1337 (606.5)	45 (1.27)	355 (161.0)	\$8,348	F1300
LB1460	1366 (619.6)	46 (1.30)	355 (161.0)	\$8,594	F1325
LB1760	1693 (619.6)	57 (1.61)	395 (179.2)	\$9,362	F1650
LBCS1360	772 (350.2)	26 (.74)	600 (272.2)	\$24,208	FC-1350
K00512	386 (175.1)	13 (.37)	175 (79.4)	\$3,903	

MODEL	ACCESSORY DESCRIPTION	SHIPPING WEIGHT LBS (KG)	SUGGESTED LIST PRICE
K00499	48" / 121.9 cm NSF Paddle	5 lbs / 2 kg	\$476
K00503	60" / 152.4 cm NSF Paddle	6 lbs / 3 kg	\$476
K00500	37" / 94 cm NSF Shovel	10 lbs / 5 kg	\$456
K00501	Replacement Set of 6 NSF Totes (16 lb each)	34 lbs / 15 kg	\$1,099
K00502	Replacement 207 lbs. NSF Ice Cart	75 lbs / 34 kg	\$3,543
K00504	Replacement Storage Hook	2 lbs / 1 kg	\$75

NOTES:
K00502 – replacement cart does not include totes or spacer. Totes and spacer sold separately.
Capacity without spacer and totes ~ 207 lbs. K00501 set of 6 totes, each hold 16 lbs. or 96 lbs total / cart.
LB and LBCS style bins available in Q2 2021

Door and snout ships inside the bin for easy door entry. Add 10.5 inches to the depth of the unit once installed. Guillotine on LBCS1360 can be removed for easy door entry. Adds 4.5 inches to the depth of the unit once installed. K00512 sleeve will add 12 inches of height to the LBCS1360 when installed.

NOTES:
LB0730, LB1448, LB1460, and LB1760 height includes the bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.13 in or 15.2 to 18 cm LB0730, LB1448, LB1460, and LB1760 includes – One set of stainless steel legs, ergonomic NSF ice scoop and a storage hook.
LB0730- no additional adapter required for standard 22" and 30" ice machines. Filler panels for a 22" machine included with bin. Additional deflectors required. LB's require additional adapter LB1448, LB1460, & LB1760-no additional adapter required for standard - 22", or 30" or 48" ice machines. Filler panels for 22" and 30" machines included. Additional deflectors required. For LB's and two machines additional adapter and deflectors needed.

LB1448 – when used with the SF3000 or ST300, requires filler panel K00386.

LBCS1360 includes- stainless flange legs, ergonomic NSF ice scoop, 2- storage hooks, 48" NSF paddle, 2- 207 lbs. NSF carts, 6 NSF ice totes (16 lbs capacity) with spacer for each cart LBCS1360- no additional adapter required for one standard -22, 30 or 48" ice machine. Filler panels included for 22" and 30" machines. Additional deflectors required. For LB, S3000 or 2 machines, additional adapter and deflectors needed.

K00512: 12" Sleeve- fits on top of the LBCS1360 for 386 lbs. of additional capacity. Adds 12" in height to bin. Sold separately
See page 22 for adapters and deflectors. If using 2 machines on top, additional adapter and deflectors needed.
Adapters and deflectors designed for Manitowoc ice machines only.



Application Capacity – measured 90% of the total volume in cu. ft x 33 lbs/ft³. AHRI certifies total internal volume measured in cu. ft.

NOTE: Application or Max capacity for ice storage bins varies by manufacturer. For realistic measurement of how much ice a bin will hold without manual intervention, use the AHRA storage capacity. Compare internal cubic volume for an accurate comparison of size.

INTERNATIONAL ONLY




W45 D47.5 H65 cm
UGP00200A
 22 kg daily at 21/10°C
 16.6 kg daily at 32/21°C
UGP0030A
 31 kg daily at 21/10°C
 25.3 kg daily at 32/21°C

UG30 / UG20

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UGP0020A-251Z	Gourmet	Air	230V/50/HZ/1	45 kg / 99 lbs	\$2,721	UG020A-251
UGP0030A-251Z	Gourmet	Air	230V/50/HZ/1	45 kg / 99 lbs	\$2,809	UG030A-251
UGE0020A-261Z	Gourmet	Air	208-230V/60HZ/1	45 kg / 99 lbs	\$2,721	N/A

Ice Storage Capacity 10 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**




W55 D55 H80 cm
UGP0040A
 45 kg daily at 21/10°C
 36 kg daily at 32/21°C
UGP0050A
 55.3 kg daily at 21/10°C
 43 kg daily at 32/21°C

UG40 / UG50

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UGP0040A-251Z	Gourmet	Air	230V/50/HZ/1	59 kg / 130 lbs	\$3,379	UG040A-251
UGP0050A-251Z	Gourmet	Air	230V/50/HZ/1	60 kg / 132 lbs	\$3,506	UG050A-251
UGF0040A-261Z	Gourmet	Air	208-230V/60HZ/1	59 kg / 130 lbs	\$3,379	N/A
UGF0050A-161B	Gourmet	Air	115V/60HZ/1	60 kg / 132 lbs	\$3,506	N/A
UGF0050A-261Z	Gourmet	Air	208-230V/60HZ/1	60 kg / 132 lbs	\$3,506	N/A

Ice Storage Capacity 25 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**




W70 D60 H90cm
UGP0080A
 86.4 kg daily at 21/10°C
 67.5 kg daily at 32/21°C


UG80

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
UGP0080A-251Z	Gourmet	Air	230V/50/HZ/1	72 kg / 159 lbs	\$4,151	UG080A-251
UGF0080A-261Z	Gourmet	Air	208-230V/60HZ/1	72 kg / 159 lbs	\$4,151	N/A

Ice Storage Capacity 44 kg. 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug. 60 Hz models offered in Z for Bare Lead. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model. Not for use with iAuCS cleaning system. Optional Leg Kit K00345001 **Contact your local distributor for pricing.**



iDP0320
 W 55.9 D 62.2 H 54.6 cm
 145 kg daily at 21/10°C
 108 kg daily at 32/21°C



iDP0500
 W 76.2 D 62.2 H 54.6
 200 kg daily at 21/10°C
 163 kg daily at 32/21°C

iP0320A / iP0500A

MODEL	ICE TYPE	COOLING	ELECTRICAL	SHIPPING WEIGHT	SUGGESTED LIST PRICE	REPLACES MODEL
IDP0320A-251*	Dice	Air	230V/50/HZ/1	62 kg / 137 lbs	\$8,017	N/A
IYP0320A-251	1/2 Dice	Air	230V/50/HZ/1	64 kg / 138 lbs	\$8,017	IYP0324A-251
R290 Propane Refrigerant						
IDP0500A-251*	Dice	Air	230V/50/HZ/1	65 kg / 144 lbs	\$8,948	N/A
IYP0500A-251	1/2 Dice	Air	230V/50/HZ/1	66 kg / 146 lbs	P	IYP0504A-251
R290 Propane Refrigerant						

*Daily ice production estimated based on 50 Hz, 1/2 dice air cooled condenser model at air temperature/ water temperature indicated. For actual, reference spec sheet.

BIN ADAPTERS & ICE DEFLECTOR KITS

KIT	ADAPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00195	Bin Adapter: for 22"/55.9 cm IB series ice machines on a 22"/55.9 cm D320 or D420 or 22"/55.9 cm Hotel Dispenser	10 lbs / 5 g	\$440
K00196	Bin Adapter: for 22"/55.9 cm IB series ice machines on a 30"/72.6 cm D400 or D570 or a 30"/72.6 cm Hotel Dispenser	15 lbs / 7 g	\$476
K00472	Bin Adapter: for 22"/55.9 cm Indigo NXT, RFF, RNF ice machines on a 30/70.6 cm D 400, 570 or 30"/72.6 cm Hotel Dispenser. Not for IB	8 lbs / 4 kg	\$394
K00473	Bin Adapter: for 22"/55.9 cm Indigo NXT, RFF, RNF on a D970 bin. Not for IB	35 lbs / 16 kg	\$662
K00371	Bin Adapter: for two 22"/55.9 cm RFF or RNF on a D970. (Water cooled or Quiet Qube)	8 lbs / 4 kg	\$354
K00470	Bin Adapter: for 30"/76.2 cm Indigo NXT, RFF, RNF ice machines on a 48"/121.9 cm D970 Bin	34 lbs / 15 kg	\$662
K00471	Front and center deflector for 30"/76.2 dual ice machines, iF1400C and iF1800C on a 48" /121.9 cm D970 Bin. (Must also use the K00470) Remove the existing deflector in the D970 prior to installing	13 lbs / 6 kg	\$394
K00382	Ice Deflector required for: 30" (72.6 cm) for iF1400C, iF1800C, on non-Manitowoc LB & F-style Bin	8 lbs / 4kg	\$244
K00383	Ice Deflector required for: two 30"/72.6 cm for iF1400C, iF1800C on a non-Manitowoc or LB & F-style Bin	18 lbs / 8 kg	\$407
K00347	Ice Deflector required for: 30"/76.2 cm Indigo NXT with front facing evaporators on a non-Manitowoc or LB & F-style Bin	5 lbs / 3 kg	\$242
K0034900	Ice Deflector required for: 48"/121.9 cm Indigo NXT on a non-Manitowoc or LB & F-style Bin	10 lbs / 5 kg	\$285
K00391	Ice Deflector set required for S3000 ice machine on a non-Manitowoc or 48"/121.9 cm or 60" /152.4 cm LB & F-style Bin	18 lbs / 8 kg	\$791
K00420	Filler Panel Kit allows 22"/55.9 cm RNF1020C to be places on a F-style bin with 48" and 60" opening (for use with adapter included with bin)	5 lbs / 3 kg	\$247
K00421	Filler Panel Kit allows for two side by side 22" /55.9 cm RNF1020C to be place on a F -style bins with 60"/152.4 cm opening	5 lbs / 3 kg	\$247
K302200	Bin Adapter for 22" /55.9 cm RFF or RNF on a F700 Bin	40 lbs / 18 kg	\$1,176
K303000	Replacement Bin Adapter for 30"/76.2 cm Indigo NXT Series Cuber on a F700 Bin (Included with bin)	45 lbs / 20 kg	\$1,264
K483048	Replacement Bin Adapter for 30"/76.2 cm and 48"/121.9 cm Indigo NXT Series Cuber on a F1300 Bin (Included with bin)	45 lbs / 20 kg	\$1,263
K603048	Replacement Bin Adapter for 30"/76.2 cm and 48"/121.9 cm Indigo NXT Series Cuber on a F1325 or F1650 Bin (included with the bin)	52 lbs / 24 kg	\$1,463
K604800	Bin Adapter for SF3000C & ST3000W on a F1325 or F1650 Bin	52 lbs / 24 kg	\$1,651
K603030	Bin Adapter for two 30"/ 76.2 cm Indigo NXT Series Cubers Side by Side on a F1325 or F1650 Bin (remote or water cooled)	52 lbs / 24 kg	\$1,463
K613048	Replacement Bin Adapter for 30"/76.2 cm and 48"/ 121.9 cm Indigo NXT Series Cuber on a FC1350 Bin (included with the bin)	60 lbs / 27 kg	\$1,983
K614800	Bin Adapter for SF3000C & ST3000W on a FC1350 Bin	60 lbs / 27 kg	\$2,210
K613030	Bin Adapter for two 30"/ 76.2 cm Indigo NXT Series Cubers Side by Side on a FC1350 Bin (remote or water cooled)	60 lbs / 27 kg	\$1,983
K00396	Filler Panel for SF3000C or ST3000W on a LB1448	5 lbs / 3 kg	\$247
K00513	Required Ice Deflector required for: 30" (72.6cm) for iF1400C, iF1800C, on non-Manitowoc LB1448, 1460, 1760	5 lbs / 3 kg	\$247
K00506	Replacement Filler Panels for 22 inch machine on a LB0730 (included with bin)	5 lbs / 3 kg	\$288
K00507	Replacement Filler Panels for 30 inch machine on a LB1448/1460/1760 (included with bin)	5 lbs / 3 kg	\$321
K00508	Replacement Filler Panels for 22 inch machine on a LB1448/1460/1760 (included with bin)	5 lbs / 3 kg	\$288
K00509	Replacement Filler Panels for 30 inch machine on a LB0730 (included with bin)	5 lbs / 3 kg	\$321
K00510	Replacement Filler Panels for 22 inch machine on a LB0730 (included with bin)	5 lbs / 3 kg	\$288
KLB302230	Replacement Bin Adapter for 22" /55.9 cm and 30"/76.2 cm Indigo NXT, RFF or RNF on a LB730 Bin (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	40 lbs / 18 kg	\$1,315
KLB483048	Replacement Bin Adapter for 22"/55.9 cm, 30" / 76.2 cm or 48" /121.9 cm Indigo NXT Cuber RFF, RNF on LB1448 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	45 lbs / 20 kg	\$1,423
KLB482214	Required Bin Adapter for 2-22"/ 55.9 Ice Beverage (IB) side by side on a LB1448	45 lbs / 20 kg	\$1,865
KLB603048	Replacement Bin Adapter for 22"/55.9 cm or 30"/76.2 cm Indigo NXT, RFF and RNF and 48"/121.9 cm Indigo NXT cuber on LB1460 or LB1760 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	52 lbs / 24 kg	\$1,423
KLB604800	Required Bin Adapter for SF3000C & ST3000W on a LB1460 or LB1760 Bin	74 lbs / 34 kg	\$1,865
KLB602222	Required Bin Adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB1460 or LB1760	52 lbs / 24 kg	\$1,865
KLB602214	Required Bin Adapter for 2-22" / 55.9 cm Ice Beverage (IB) side by side on a LB1460 or LB1760	52 lbs / 24 kg	\$1,865
KLB603030	Required Bin Adapter for 2-30"/76.2 cm Indigo NXT side by side on LB1460 or LB1760 Bins (remote, water cooled or Top Air discharge)	60 lbs / 27 kg	\$1,461
KLB613048	Replacement Bin Adapter for 22"/55.9 cm 30"/76.2 cm or 48"/121.9 cm Indigo NXT RNF or RNF on a LB0730 (included with bin) (adapter is included with bin- the replacement consist of the poly top adapter and the metal under frame)	60 lbs / 27 kg	\$1,423
KLB614800	Required Bin Adapter for SF3000C & ST3000W on a LB0730 Bin	77 lbs / 35 kg	\$1,971
KLB612214	Required Bin Adapter for 2-22" / 55.9 cm side by side Ice Beverage (IB) on a LB0730	60 lbs / 27 kg	\$1,971
KLB612222	Required Bin Adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB0730	60 lbs / 27 kg	\$1,971
KLB613030	Required Bin Adapter for 2- 30"/76.2 cm Indigo NXT, RFF or RNF side by side on a LB0730 Bins (remote, water cooled or Indigo NXT with Top Air Discharge)	60 lbs / 27 kg	\$1,971

MISCELLANEOUS

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00457	DISPENSER THERMOSTAT KIT — For use with S-Series. For use on Soda dispensers only. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. Replaces K00364.	3 lbs / 1 kg	\$449
K00446	DISPENSER THERMOSTAT KIT — For use with Indigo Series only on Soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$291
K00477	DISPENSER THERMOSTAT KIT — For use with Indigo NXT Series only on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$291
K00456	DISPENSER THERMOSTAT KIT — For use with Indigo Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$281
K00478	DISPENSER THERMOSTAT KIT — For use with Indigo NXT Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$281
K00488	DISPENSER THERMOSTAT KIT — For use with nugget machines on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$449
K00210	DISPENSER BAFFLE — required for 30" / 76.2 cm Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	3 lbs / 1 kg	\$98
K00346	DISPENSER BAFFLE — required for use with any Manitowoc 30" / 76.2 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series Hotel dispensers, no need to order NOT required for IF1400C and IF1800C.	3 lbs / 1 kg	\$98
K0034800	DISPENSER BAFFLE — required for use with any Manitowoc 22" / 55.9 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series Hotel dispensers, no need to order.	3 lbs / 1 kg	\$110
K00395	S3000 BIN THERMOSTAT KIT — For use with S3000.	3 lbs / 1 kg	\$649
K00483	DISPENSER THERMOSTAT KIT — for use with nugget machines on Freestyle 9000. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$950
K00487	DISPENSER THERMOSTAT KIT - for use with nugget machines on Freestyle 9100. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$600
K00497	TOUCHLESS LEVER ACTIVATED ICE CHUTE — Updates the Push to Touch SPA's and SFA's to Touchless. Use for buckets, tumblers and water bottles.	3 lbs / 1 kg	\$205
K00522	SPA TO SFA CONVERSION KIT — Converts a SPA to an SFA Hotel Dispenser. Works with 22" and 30" SPA Hotel Dispensers	5 lbs / 2 kg	\$621
K00523	Use to update "Push for ice" chutes to Touchless lever activated chute for SPA and SFA hotel Dispenser. Use with ice buckets and water bottles	3 lbs / 1 kg	\$221

BIN ADAPTERS & ICE DEFLECTORS

ICE STORAGE BINS	BIN	MACHINES	IT0420, IT0620	IT0300	IT0450, IT0500, IF0500N	IF0600N, IT0750, IF0900N, IT0900	IT1200	IT1500, IT1900
	D320	1		N.A.	N.A.	N.A.	N.A.	N.A.
	D400	1	K00472					N.A.
	D420	1		N.A.	N.A.	N.A.	N.A.	N.A.
	D570	1	K00472					N.A.
	D970	1	K00473	K00470	K00470	K00470	K00470	N.A.
		2	K00371	N.A.	N.A.	N.A.	N.A.	N.A.
	F700 / LB0730	1	N.A.	N.A.	N.A.	K00347	K00347	N.A.
	F1300 / LB1448	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
	F1325 / LB1460	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
ICE STORAGE BINS	F1650 / LB1760	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
	FC1350 / LB031360	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
	SPA160/162, SFA 191/192	1		N.A.	N.A.	N.A.	N.A.	N.A.
	SPA310/312, SFA 291/292	1	K0034800 & K00472				N.A.	N.A.
	NON-MANITOWOC DISPENSERS	1	K0034800 (baffle)	K00346 (baffle)	K00346 (baffle)	K00346 (baffle)	K00346 (baffle)	N.A.

N.A. means not a practical application or no adapter option available

ICE STORAGE BINS	BIN	MACHINES	IF0600C, IF0900C, IT1200C	IF1400C, IF1800C	IBF0620C, IFB0820C, IBT1020C	RNF,RFF0320, RNF, RFF0620, RNF1020C, RFF1220C	RFF1300, RNF1100, RNF2000C, RFF2200C	ST3000W, SF3000C
	D320	1	N.A.	N.A.	K00195		N.A.	N.A.
	D400	1		N.A.	K00196	K00472	N.A.	N.A.
	D420	1	N.A.	N.A.	K00195		N.A.	N.A.
	D570	1		N.A.	K00196	K00472	N.A.	N.A.
	D970	1	K00470	K00470, K00471	N.A.	K00473	K00470	N.A.
		2	N.A.	N.A.	N.A.	K00371	N.A.	N.A.
	F700	1	K00347	K00382	N.A.	K302200		N.A.
	LB0730	1	K00347	K00382	N.A.			N.A.
	F1300	1	K00347	K00382	N.A.	N.A.		K00391
ICE STORAGE BINS	LB1448	1	K00347	K00513	N.A.			K00391, K00396
		2	N.A.	N.A.	KLB482214	N.A.	N.A.	N.A.
	F1325, F1650	1	K00347	K00382	N.A.			K00391, K604800
		2	K00347(2), K603030	K00383, K603030	N.A.	K00421 & K603030	K603030	N.A.
	LB1460, LB1760	1	K00347	K00513	N.A.			K00391, KLB604800
		2	K00347(2), KLB603030	K00383, KLB603030	KLB602214	KLB602222	KLB603030	N.A.
	FC1350	1	K00347	K00382	N.A.			K00391, K614800
		2	K00347(2), K613030	K00383, K613030	N.A.	K00421, K613030	K613030	N.A.
	LB031360	1	K00347	K00382	N.A.			K00391, KLB614800
		2	K00347(2), KLB613030	K00383, KLB613030	KLB612214	KLB612222	KLB613030	N.A.
ICE STORAGE BINS	SPA160/162, SFA 191/192	1	N.A.	N.A.	K00195	N.A.	N.A.	N.A.
	SPA310/312, SFA 291/292	1	N.A.	N.A.	K00196	N.A.	N.A.	N.A.
	NON-MANITOWOC DISPENSERS	1	K00346 (baffle)	N.A.	N.A.	N.A.	N.A.	N.A.

NOTE: Adapter included with single head application unless otherwise indicated. Deflectors are required for F and LB bins. N.A. means not a practical application or no adapter option available.

ACCESSORY PRICES ARE NOW INCLUDED IN THE STANDARD EQUIPMENT SUGGESTED PRICE LIST.

IAUCS® AUTOMATIC CLEANING SYSTEM

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
IAUCS-161 IAUCS-261	Automatic Cleaning System Accessory for all Indigo and Indigo NXT Series ice machines 300 to 2100. Cannot be used with Indigo IB Series, S-Series, nugget, ake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz -iAuCS-161, and 230 volt 60 Hz - iAuCS-261.	11 lbs / 5 kg	\$1,040
IBAUCS-161	Automatic Cleaning System Accessory for Indigo IB Series ice machines: IBF0620C, IBF0820C, IBT1020C. Cannot be used with Indigo Series ice machines 300 to 2100, S-Series, nugget, ake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug.	11 lbs / 5 kg	\$1,040

NOTE: iAuCS Automatic Cleaning System cannot be used with ake and nugget ice machines.

LUMINICE® II VIRUS AND BACTERIA INHIBITOR

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00450	LuminIce II Virus and Bacteria Inhibitor kit for Indigo units i300 to i1106 and QQ models	5 lbs / 2.2 kg	\$762
K00519	LuminIce II Virus and Bacteria Inhibitor kit for NEO Undercounters UF0140 to UF0310 (Replaces K00452)	5 lbs / 2.2 kg	\$762
K00464	LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT0300, iT420, iT620, iT450, iT500, iF0600, iF0900, iT1200 and QQ iF0600C, iF0900C, iT1200C	5 lbs / 2.2 kg	\$762
K00465	LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT1500 & iT1900 and IBF0620C, IBF0820C, IBT1020C and iF1400C, iF1800C (Indigo NXT 48 in, IB's, Duals)	5 lbs / 2.2 kg	\$762
K00474	Converts K00450 or K00451 to work with appropriate Indigo NXT model	.5 lbs / .23 kg	\$24
K00425	Replacement LuminIce bulb for LuminIce first generation only (bulb with white end caps) Indigos built prior to July 1, 2015	.5 lbs / .23 kg	\$128
K00454	Replacement LuminIce II bulb for LuminIce II only (bulb with blue end caps) Indigos and Indigo NXT built after July 1, 2015	.5 lbs / .23 kg	\$128
K00455	Remote LuminIce II external LED indicator- for LuminIce II and Indigo only	.5 lbs / .23 kg	\$69
K00528	High intensity LuminIce II bulb (Use for larger machines and challenging conditions	.5 lbs / .23 kg	\$149

Selected models can be ordered from the factory with the kit already installed. (See model price pages) Other Indigo® NXT models and all Neo® models can have the LuminIce II kit added after market. Parts (non "K" kits) must be ordered through distributors.

LIQUID DESCALER AND SANITIZER FOR CUBER MACHINES

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
000005162 000005164	Liquid Descaler: 16 oz / .47 liter bottle (sold in cases of 12) Liquid Sanitizer: 16 oz / .47 liter bottle (sold in cases of 12)	16 lbs / 7 kg 16 lbs / 7 kg	SEE PARTS
94-0580-3 94-0581-3	Liquid Descaler: 1 gallon / 3.78 L (sold in cases of 4) Liquid Sanitizer: 1 gallon / 3.78L (sold in cases of 4)	42 lbs / 19 kg 42 lbs / 19 kg	SEE PARTS

LIQUID DESCALER AND SANITIZER FOR SM-50, CONTINUOUS MACHINES (FLAKE, NUGGET, CNF)

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
000006036	Liquid Metal-safe Descaler 16 oz / .47 Liter bottle (sold in cases of 12) Hazardous labeling for International Shipments	16 lbs / 7 kg 16 lbs / 7 kg	SEE PARTS
000000084	Liquid Metal-safe Descaler 16 oz / .47 Liter bottle (sold in cases of 12) Non-Hazardous labeling for US Shipments only	16 lbs / 7 kg 16 lbs / 7 kg	SEE PARTS
000005164	Liquid Sanitizer: 16 oz / .47 Liter bottle (sold in case of 12) Hazardous labeling for International Shipments	16 lbs / 7 kg	SEE PARTS

POWDER DESCALER AND RINSE FOR CUBER MACHINES AMERICAS MARKETS

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
000016265 000016278	Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) E/S/F Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/S/F	11 lbs / 4 kg 6 lbs / 3 kg	SEE PARTS
000016287 000016291	Powder Descaler Starter Kit (Sold in cases of 6 boxes) Powder Rinse Starter kit: (Sold in cases of 6 boxes)	7 lbs / 3 kg 5 lbs / 2 kg	SEE PARTS

STARTER KITS INCLUDE: 8 packets, Mixing vessel with lid, instruction sheet. Language: English/Spanish/French

POWDER DESCALER AND RINSE FOR CUBER MACHINES AMERICAS MARKETS

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
000016272 000016283	Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) C/K/E Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) C/K/E Hazardous labeling for Air Shipments – Language Chinese/Korean/English	11 lbs / 4 kg 6 lbs / 3 kg	SEE PARTS
000016525 000016528	Powder Descaler: 3 oz / 85 g (sold in cases of 48 packets) E/C/K Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/C/K Hazardous labeling for Air Shipments – Language English/ Chinese/Korean	11 lbs / 4 kg 6 lbs / 3 kg	SEE PARTS

ACCESSORIES



CLEANAIR™ PACK

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
K00206	6 ea. replacement packets, 1 ea basket, zip ties. For use in Q and S-Series ice machines only. Cannot be used with SF3000C, S3000, Indigo, nugget, flake, or undercounter ice machines.	1 lb / .5 kg	\$350



ARCTIC PURE PLUS - WATER FILTER

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
AR-PRE-P	Arctic Pure Plus: Pre-filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. Use on all machines	21 lbs / 10 kg	\$393
AR-10000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	25 lbs / 11 kg	\$545
AR-20000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	20 lbs / 9 kg	\$819
AR-40000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	24 lbs / 11 kg	\$1,125

ARCTIC PURE PLUS REPLACEMENT CARTRIDGES SOLD IN CASES QUANTITIES INDICATED BELOW:

K00496	AR-PRE-P replacement cartridge (sold in case of 12)	22 lbs / 10 kg	\$1,391
K00493	AR-10000-P replacement cartridge (sold in case of 12)	29 lbs / 13 kg	\$1,865
K00494	AR-20000-P replacement cartridge (sold in case of 12)	19 lbs / 9 kg	\$2,609
K00495	AR-40000-P replacement cartridge (sold in case of 12)	27 lbs / 12 kg	\$4,050



ARCTIC PURE REPLACEMENT CARTRIDGES

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
ARCTIC PURE REPLACEMENT CARTRIDGES SOLD IN CASES QUANTITIES INDICATED BELOW:			
K00374001	AR2800 replacement cartridge (sold in case of 12) Use on SMS050A002	11 lbs / 5 kg	\$1,254
K00337	AR-PRE replacement cartridge (sold in case of 12)	22 lbs / 10 kg	\$1,391
K00338	AR-10000 replacement cartridge (sold in case of 12)	33 lbs / 15 kg	\$1,865
K00339	AR-20000 replacement cartridge (sold in case of 6))	10 lbs / 4 kg	\$1,304
K00344	Bin bracket for hanging water filters on the side of a D-bin. Works for Arctic Pure and Arctic Pure Plus Water Filter Systems	5 lbs / 2 kg	\$110

WATER FILTER SIZING GUIDE

FILTER SYSTEMS - (REPLACEMENT CARTRIDGES)	AR-PRE (K00337) AR-PRE-P (K00496)	AR-10000 (K00338) AR-10000-P (K00493)	AR-20000 (K00339) AR-20000-P (K00494)	AR-40000 (2-K00339) AR-40000-P (K00495)
ALL UNDER COUNTERS				
(CUBERS, FLAKERS & NUGGETS)	X	X		
COUNTER TOP NUGGET				
MODULAR CUBERS: IT0300-IT750, IBF0620				
MODULAR FLAKER: RFP0320	X	X		
MODULAR NUGGET: RNP0320				
MODULAR CUBERS: IT0900, IBF0820C & IBT1020C				
MODULAR FLAKER: RFP0620, RFF1220C, RFF1300	X		X	
MODULAR NUGGETS: RNF0620, RNF1020C, RNF1100				
MODULAR CUBERS: IT1200, IT1500 & IT1900, IF1400C & IF1800C				
MODULAR FLAKER: RFF2200C	X			X
MODULAR NUGGET: RNF2000C				

NOTE: ARCTIC PURE PLUS AND ARCTIC PURE CARTRIDGES ARE NOT COMPATIBLE


ACCESSORIES



CONVENIENT ICE BAGGER	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lbs / 11 kg	\$900
	K00068	Replacement Bags/Ties Bag Kit - Includes 1,000 bags (4 wickets of 250) and ties.	34 lbs / 15 kg	\$515



ICE SCOOPS	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	3302583	6 oz./18L clear scoop for QM and SM Series (each)	2 lbs / 1 kg	SEE PARTS PRICE LIST
	40002930	22 oz./65L blue scoop (Used with Neo undercounter units.)	3 lbs / 1 kg	
	3302603	32 oz./95L white scoop (each) (Used for B170 and Q-Series undercounter units.)	3 lbs / 1 kg	
	3302593	82 oz./2.4L white scoop (each) (Used for ice bin D320 and up.)	5 lbs / 2 kg	
	000015595	5.3 lb / 2.4 kg capacity, NSF approved, blue ABS plastic with knuckle guard, works inside D-Bin or with optional K00461 External Scoop Holder	5.3 lbs / 2.4 kg	
	K00463	5.3/lbs/2.4kg capacity NSF approved aluminum with knuckle guard. Has limited lifetime guarantee. Works inside D-bins or with optional K00461 External scoop holder	11 lbs / 5 kg	\$159



EXTERNAL SCOOP HOLDER	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00461	Protects the ice scoop outside the bin. NFS versatile holder can be configured 7 ways on the bin or wall. Use with 000015595 scoop that comes with D-Bins, aluminum scoop K00463 (To use K00461 with LB Style bins, you must also purchase the K00482 hanger)	11 lbs / 5 kg	\$198
	K00482	Hanger for LB-Style bins to be used with the K00461 External scoop holder	5 lbs / 2 kg	\$48
	K00485	Merchandising kit. Includes 6- K00461 External scoop holders and 4-K00463 Metal Scoops with a pop up merchandiser all in one package	42 lbs / 19 kg	\$1,824
	K00511	Cardboard Merchandiser only "Sanitation Station" for retail display of sanitation products	12 lbs / 6 kg	\$48



CASTERS/ LEGS/ FEET	KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE
	K00063	2.5"/ 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 4 ea. non-locking swivel.	2 lbs / 1 kg	\$391
	K00064	2.5"/ 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel.	2 lbs / 1 kg	\$424
	K00153	4.625" / 11.75 cm Adjustable Flange Foot - stainless steel (Use with Bins only)	5 lbs / 2 kg	\$333
	K00176	4" / 10.16 cm leg for UDE0065/80 - black painted	3 lbs / 1 kg	\$178
	K00215	UDE Series leveler legs, adjusts from .5"-1.25"/ 1.27-3.175 cm - 1/2-13 thread	1 lb / 1 kg	\$86
	K00137	6" / 15.24 cm Adjustable Flange Foot - stainless steel for S, B and D Series bins	6 lbs / 3 kg	\$333
	K00151	6" / 15.24 cm Adjustable Flange Foot- Gray painted for S bins and Neo under counters	5 lbs / 2 kg	\$194
	K00145	6" / 15.24 cm Adjustable Secured Flange Foot - stainless steel (Use with B-Bins only) includes latch bracket #6072421	6 lbs / 3 kg	\$453
	K00144	12" / 30.48 cm Adjustable Flange Foot - stainless steel. Can use with Neo undercounter machines and B170 and B&D 400 Bin. Not for use with 22" / 52.9 cm unit, stacked units, dispensers, or the QM or UDE series.	8 lbs / 4 kg	\$453
	K00138	Adjustable Caster Legs, 7.625-8.625" / 19.4 - 21.9 cm - stainless steel. Not for use with 22" / 52.9 cm unit, or any stacked units, dispensers, QM's, UDE or UFP or UNP. 2-locking casters and 2 non-locking per set.	16 lbs / 7 kg	\$930
	K00350	6" / 15.24 cm Adjustable Legs - stainless steel standard on B&D Series bins.	5 lbs / 2 kg	\$158
	K00345001	Leg kit for SM50 & CNF201/202 series ice machines. Adjustable 4.5" to 6.4" / 11.43-16.51 cm.	3 lbs / 1 kg	\$160
	K00445	1.125" / 2.9 cm Non-adjustable foot. For use with NEO.	2 lbs / 1 kg	\$87
	K00462	Secure fastening kit, includes 6" / 15.24cm adjustable flanged foot, stainless steel with latching hardware. Use with D-Bins and Indigo units only	6 lbs / 3 kg	\$562

Parts (non "K" kits) must be ordered through distributors.

ABOUT MANITOWOC ICE MACHINES



AHRI CERTIFIED — Manitowoc Ice Machines and D-Bins are certified by The American Heating and Refrigeration Institute. (AHRI) This means the data we published is validated to be true based on ASHRAE standards. Our certified products are continually tested by an independent third party laboratory to validate our products perform to the ratings or specifications published. Rest assured, products that carry the AHRI label comply to their publish specification. AHRI rates ice machine performance is rated at the 90 ambient temperature and 70 water temperature. Bin capacity rating is measured by the cubic volume of the interior of the bin.



ENERGY STAR — Manitowoc Ice is an avid supporter of the EPA's voluntary ENERGY STAR program. We believe in making ENERGY STAR approved ice machines are not only good for the environment but it makes good business sense. In fact, we have more ENERGY STAR models than any other ice machine manufacture. Moreover, Manitowoc Ice has been recognized by the ENERGY STAR program as a Sustained Excellence Partner, winning "Partner of the Year" for 12 consecutive years. Look for the * next to the price to indicate whether a model is ENERGY STAR qualified, then check with your local dealer if it is rebate eligible.



BEST IN CLASS — Foodservice Equipment & Supplies (FE&S) magazine conducts an annual survey among its subscribing foodservice operators, dealers, and consultants asking them to evaluate ice machines in the categories of: quality, value, design, service and support, sales and support, inventory and availability. For 17 consecutive years Manitowoc Ice has been voted best in class. Don't take our word for it; take it from the people who know ice machines.



KITCHEN INNOVATION AWARD 2019 — Indigo NXT, was awarded the 2019 Kitchen Innovation Award from the National Restaurant Association . This prestigious award recognizes Indigo NXT for its innovation, efficiencies and productivity.



KITCHEN INNOVATION AWARD 2021 — CrystalCraft Premier was awarded the 2021 Kitchen Innovation Award from the National Restaurant Association. This prestigious award recognizes the CrystalCraft Premier for its innovative design and perfectly formed crystal clear square cube.



INTELLIGENT ICE MACHINE — Manitowoc Indigo NXT with its easyTouch display is the only ice machine that offers a touch display providing the user and service agent with vital information to facilitate the set up and operation of the equipment. The display provides 4 main statuses: Making Ice, Bin Full, Machine Off or Program Mode. All the asset information can be obtained with one touch of an icon. Set up reminders to clean, change the air and water filters can be programmed easily into the machine. You can program the machine NOT to make ice when the store is closed or during the hours of the day of higher energy costs. The self diagnostic feature stores vital information for the service agent to access, so when they arrive, they have a good idea of the problem. This makes servicing easier, reduces labor costs and reduces machine down time.



EASY TO CLEAN — Manitowoc Indigo Machines are the easiest ice machines in the industry to clean. All the component parts that require a deep cleaning can be removed without the use of tools. This includes the water trough as well as the water pump. Selected components contain Alpha San- Antimicrobial compound molded into the plastic to reduce slime build up.



ENERGY EFFICIENT — Having the most ENERGY STAR models is a result of advance technologies that allow the Indigo NXT ice machine to work efficiently. Innovations like Air Assist which accelerates the ice harvest process and the Acoustical Ice Sensing probe allows for reliable operation in challenging water conditions. Air Assist and Acoustical Ice sensing are patent technologies only found on Manitowoc Indigo machines.



LUMINICE II VIRUS AND BACTERIA INHIBITOR — Manitowoc Indigo NXT and Neo machines offer the LuminIce II Virus and Bacteria Inhibitor device that runs quietly 24/7 keeping your ice machine cleaner longer. Less frequent cleanings saves labor, reduces cost and machine downtime. The device is particularly effective in environments where yeast is in the air (sandwich shops, bakeries, pizzerias, micro-breweries) because the LuminIce II device uses a UV bulb to create active air that inhibits the growth of viruses, bacteria, mold and yeast inside the machine. The device is mounted inside the machine, and is integrated with the easy Touch Display with an icon that lets you know the operational status.



AUTOMATIC CLEANING SYSTEM – (IAUCS) — Manitowoc Ice automatic cleaning system is a perfect complement to the LuminIce II virus and bacteria inhibitor. Using the easyTouch display on the Indigo NXT Ice machine, program the time interval to either clean or sanitize the food zone automatically. No manual intervention is required. This is especially effective in areas of hard water, where periodic cleaning of the evaporator will keep the evaporator free of lime scale build up. (Note, iAUCS will not eliminate the need to do a deep cleaning periodically) but will keep your machine running at peak efficiency and cleaner longer).

SCAN THE CODE BELOW TO LOCATE A DEALER, DISTRIBUTOR OR
SALES REPRESENTATIVE IN YOUR AREA.



OR GO TO
WWW.MANITOWOCICE.COM/SALES/SALES-LOCATORS



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Crem™**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Manitowoc® Ice**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table • welbilt.com